



Part Number	lbs/hr	cc/min	grams/min	PSI	BARS	lbs/hr	cc/min	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	Impedance	Application
150X14	14.0	147.1	105.8	43.5	3.00	14.00	147.1	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	-
150X15	15.0	157.7	113.4	43.5	3.00	15.00	157.7	33.3	39.6	31.6	37.5	28.6	33.9	25.5	30.3	23.1	27.4	21.1	25.0	High	-
150X17	17.0	178.7	128.5	43.5	3.00	17.00	178.7	37.8	44.9	35.8	42.5	32.4	38.5	28.9	34.4	26.2	31.1	23.9	28.3	High	-
150X19	19.0	199.7	143.6	43.5	3.00	19.00	199.7	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	-
150X21	21.0	220.7	158.8	43.5	3.00	21.00	220.7	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	-
150X23	23.0	241.7	173.9	43.5	3.00	23.00	241.7	51.1	60.7	48.4	57.5	43.8	52.0	39.1	46.5	35.4	42.0	32.3	38.3	High	-
150X24	24.0	252.2	181.4	43.5	3.00	24.00	252.2	53.3	63.3	50.5	60.0	45.7	54.3	40.9	48.5	36.9	43.8	33.7	40.0	High	-
150X26	26.0	273.3	196.6	43.5	3.00	26.00	273.3	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	High	-
150X30	30.0	315.3	226.8	43.5	3.00	30.00	315.3	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	-
150X32	32.0	336.3	241.9	43.5	3.00	32.00	336.3	71.1	84.4	67.4	80.0	61.0	72.4	54.5	64.7	49.2	58.5	44.9	53.3	High	-
150X36	36.0	378.4	272.2	43.5	3.00	36.00	378.4	80.0	95.0	75.8	90.0	68.6	81.4	61.3	72.8	55.4	65.8	50.5	60.0	High	-
150X40	40.0	420.4	302.4	43.5	3.00	40.00	420.4	88.9	105	84.2	100	76.2	90.5	68.1	80.9	61.5	73.1	56.1	66.7	High	-
150X48	48.0	504.5	362.9	43.5	3.00	48.00	504.5	106	126	101	120	91.4	108	81.7	97.0	73.8	87.7	67.4	80.0	High	-
-	59.5	625.3	449.8	43.5	3.00	59.50	625.3	132	157	125	148	113	134	101	120	91.5	108	83.5	99.2	Low	-
-	76.0	798.8	574.6	43.5	3.00	76.00	798.8	168	200	160	190	144	171	129	153	116	138	106	126	Low	-

X in the Part Number = 1, or 8 and is equal to the number of injectors that are in the kit.

<b>Bendix</b> COPYRIGHT © 2002-2007 <a href="#">Stan Weiss</a> — World Wide Enterprises																					
Part Number	Flow			Rating @		Flow @ 43.5 PSI / 3 Bars		.36 BSFC - Est. HP Duty Cycle		.38 BSFC - Est. HP Duty Cycle		.42 BSFC - Est. HP Duty Cycle		.47 BSFC - Est. HP Duty Cycle		.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle		Impedance	Application
	lbs/hr	cc/min	grams/min	PSI	BARS	lbs/hr	cc/min	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%		
1181281	38.0	399.4	287.3	-	-	-	-	84.4	100	80.0	95.0	72.4	86.0	64.7	76.8	58.5	69.4	53.3	63.3	Low	Cadillac
Red 25500139	82.0	861.8	619.9	45.0	3.10	80.62	847.3	182	216	172	205	156	185	139	165	126	149	115	136	Low	-
White - Alcohol / Nethanol	180.0	1891	1360	45.0	3.10	176.9	1860	400	475	378	450	342	407	306	363	276	328	252	300	Low	-

# Bosch

COPYRIGHT © 2002-2007 Stan Weiss — World Wide Enterprises

Part Number	Flow			Rating @		Flow @ 43.5 PSI / 3 Bars		.36 BSFC - Est. HP Duty Cycle		.38 BSFC - Est. HP Duty Cycle		.42 BSFC - Est. HP Duty Cycle		.47 BSFC - Est. HP Duty Cycle		.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle		Impedance	Application
	lbs/hr	cc /min	grams /min	PSI	BARS	lbs/hr	cc /min	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%		
0-280-150-001	25.2	264.9	190.5	43.5	3.00	25.20	264.9	56.0	66.5	53.1	63.0	48.0	57.0	42.9	50.9	38.8	46.0	35.4	42.0	-	M B 3.5l, Saab 1.7l
0-280-150-002	25.2	264.9	190.5	43.5	3.00	25.20	264.9	56.0	66.5	53.1	63.0	48.0	57.0	42.9	50.9	38.8	46.0	35.4	42.0	-	-
0-280-150-003	36.15	379.9	273.3	43.5	3.00	36.15	379.9	80.3	95.4	76.1	90.4	68.9	81.8	61.5	73.1	55.6	66.0	50.7	60.3	-	-
0-280-150-007	25.2	264.9	190.5	43.5	3.00	25.20	264.9	56.0	66.5	53.1	63.0	48.0	57.0	42.9	50.9	38.8	46.0	35.4	42.0	Low	VW 1.6l, 1.7l
0-280-150-008	25.2	264.9	190.5	43.5	3.00	25.20	264.9	56.0	66.5	53.1	63.0	48.0	57.0	42.9	50.9	38.8	46.0	35.4	42.0	Low	-
0-280-150-009	25.2	264.9	190.5	43.5	3.00	25.20	264.9	56.0	66.5	53.1	63.0	48.0	57.0	42.9	50.9	38.8	46.0	35.4	42.0	Low	Porsche 914 1.7l
0-280-150-010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Jaguar v12-5.3l
0-280-150-015	36.15	379.9	273.3	43.5	3.00	36.15	379.9	80.3	95.4	76.1	90.4	68.9	81.8	61.5	73.1	55.6	66.0	50.7	60.3	-	-
0-280-150-016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	Renault 4-1.6
0-280-150-019	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	Porsche 4-1.8l, 4-2.0l
0-280-150-023	33.5	352.1	253.3	43.5	3.00	33.50	352.1	74.4	88.4	70.5	83.8	63.8	75.8	57.0	67.7	51.5	61.2	47.0	55.8	High	Jaguar V12, Saab Turbo 99-2004 trionic7 - Feedback - Jak Stoll
0-280-150-024	36.15	379.9	273.3	43.5	3.00	36.15	379.9	80.3	95.4	76.1	90.4	68.9	81.8	61.5	73.1	55.6	66.0	50.7	60.3	Low	M B, Volvo



0-280-150-065	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	Ford v6-3.2l, 6-3.9l	
0-280-150-067	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	Chrysler
0-280-150-069	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	Audi, VW
0-280-150-070	-	-	-	14.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	Peugeot
0-280-150-071	-	-	-	14.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	Audi, VW 1.8l
0-280-150-100	17.6	185.0	133.1	43.5	3.00	17.60	185.0	39.1	46.4	37.1	44.0	33.5	39.8	30.0	35.6	27.1	32.2	24.7	29.3	-	Low	-	
0-280-150-101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-105	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	-	Low	Alfa v6-2.5l, v6-3.0l, Jaguar XJS, Opel 4-1.9l, Porsche 4-2.0l, Renault 4-1.6l, Range Rover v8-3.5l, Triumph 2.0l, v8-3.5l	
0-280-150-106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-112	18.1	190.2	136.8	-	-	-	-	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	-	Low	Porsche 4-1.8l, VW 1.6l	
0-280-150-114	18.1	190.2	136.8	-	-	-	-	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	-	Low	VW 4-1.8l, 4-2.0l	

0-280-150-116	18.1	190.2	136.8	-	-	-	-	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	VW 4-1.6l	
0-280-150-117	18.1	190.2	136.8	-	-	-	-	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-118	18.1	190.2	136.8	-	-	-	-	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-119	18.1	190.2	136.8	-	-	-	-	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-121	16.95	178.1	128.1	43.5	3.00	16.95	178.1	37.7	44.7	35.7	42.4	32.3	38.3	28.9	34.3	26.1	31.0	23.8	28.3	Low	Alfa 2.0l, Fiat 2.0l, Lancia 4-2.0l, Pininfarina 4-2.0l	
0-280-150-123	18.2	191.3	137.6	-	-	-	-	40.4	48.0	38.3	45.5	34.7	41.2	31.0	36.8	28.0	33.3	25.5	30.3	Low	Bertone 4-1.5l, Fiat 4-1.5l, Triumph 2.0l, v8-3.5l	
0-280-150-124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	Triumph 4-2.0l	
0-280-150-125	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	Low	Renault 4-1.6l, 4-1.6l Turbo, 4-1.7l, Triumph 2.0l	
0-280-150-126	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	Low	BMW 6-2.7l, 3.0l, Renault 4-1.7l, 4-2.2l, Eagle 6-3.0l	
0-280-150-127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Alfa 2.0l, Fiat 2.0l, Lancia 4-2.0l
0-280-150-128	15.9	167.1	120.2	43.5	3.00	15.90	167.1	35.3	42.0	33.5	39.8	30.3	36.0	27.1	32.1	24.5	29.0	22.3	26.5	Low	Alfa 2.0l, Fiat 2.0l, Lancia 4-2.0l	
0-280-150-129	18.2	191.3	137.6	-	-	-	-	40.4	48.0	38.3	45.5	34.7	41.2	31.0	36.8	28.0	33.3	25.5	30.3	Low	Jaguar 6-3.2l, 6-3.6l	
0-280-150-130	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	Low	Renault v6-2.8l	
0-280-150-133	18.2	191.3	137.6	-	-	-	-	40.4	48.0	38.3	45.5	34.7	41.2	31.0	36.8	28.0	33.3	25.5	30.3	Low	Jaguar 6-4.0l	
0-280-150-	18.2	191.3	137.6	-	-	-	-	40.4	48.0	38.3	45.5	34.7	41.2	31.0	36.8	28.0	33.3	25.5	30.3	Low	Nissan 4-2.0l	



200	28.6	300.6	216.2	43.5	3.00	28.60	300.6	63.6	75.5	60.2	71.5	54.5	64.7	48.7	57.8	44.0	52.3	40.1	47.7	Low	BMW, Peugeot
0-280-150-201	22.5	236.5	170.1	36.25	2.50	24.65	259.0	50.0	59.4	47.4	56.3	42.9	50.9	38.3	45.5	34.6	41.1	31.6	37.5	Low	BMW 4-1.0l, 4-2.3l, 6-3.2l, 6-3.4l, 6-3.5l, Chrysler 2.2l, 2.5l, Pontiac 1.8l, Porsche 4-2.5l
0-280-150-201	24.55	258.0	185.6	43.5	3.00	24.55	258.0	54.6	64.8	51.7	61.4	46.8	55.5	41.8	49.6	37.8	44.9	34.5	40.9	Low	BMW 4-1.0l, 4-2.3l, 6-3.2l, 6-3.4l, 6-3.5l, Chrysler 2.2l, 2.5l, Pontiac 1.8l, Porsche 4-2.5l
0-280-150-203	17.6	185.0	133.1	36.25	2.50	19.28	202.6	39.1	46.4	37.1	44.0	33.5	39.8	30.0	35.6	27.1	32.2	24.7	29.3	High	BMW 6-2.8l, 6-3.4l, Fiat 4-2.0l, Ford 6-4.1l, v8-5.0l, Holden 6-3.3l
0-280-150-204	16.0	168.2	121.0	36.25	2.50	17.53	184.2	35.6	42.2	33.7	40.0	30.5	36.2	27.2	32.3	24.6	29.2	22.5	26.7	High	Volvo 4-2.1l
0-280-150-205	16.2	170.3	122.5	36.25	2.50	17.75	186.5	36.0	42.8	34.1	40.5	30.9	36.6	27.6	32.7	24.9	29.6	22.7	27.0	High	Holden 4-1.8l, MB
0-280-150-206	16.0	168.2	121.0	36.25	2.50	17.53	184.2	35.6	42.2	33.7	40.0	30.5	36.2	27.2	32.3	24.6	29.2	22.5	26.7	High	VW 1.9l, 4-2.1l
0-280-150-207	16.3	171.3	123.2	36.25	2.50	17.86	187.7	36.2	43.0	34.3	40.8	31.0	36.9	27.7	32.9	25.1	29.8	22.9	27.2	High	VW
0-280-150-208	12.65	133.0	95.68	36.25	2.50	13.86	145.6	28.1	33.4	26.6	31.6	24.1	28.6	21.5	25.6	19.5	23.1	17.8	21.1	High	BMW 6-2.0l, 6-2.3l, Renault 4-1.4l
0-280-150-208	13.7	144.0	103.6	39.15	2.70	14.44	151.8	30.4	36.2	28.8	34.3	26.1	31.0	23.3	27.7	21.1	25.0	19.2	22.8	High	Renault 1.4l
0-280-150-209	15.9	167.1	120.2	36.25	2.50	17.42	183.1	35.3	42.0	33.5	39.8	30.3	36.0	27.1	32.1	24.5	29.0	22.3	26.5	Low	Range Rover 8-3.5l, Volvo 4-2.3l
0-280-150-209	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	Low	Volvo 4-2.3l
0-280-150-210	12.65	133.0	95.68	36.25	2.50	13.86	145.6	28.1	33.4	26.6	31.6	24.1	28.6	21.5	25.6	19.5	23.1	17.8	21.1	High	BMW Motorcycle





310	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-314	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-315	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-318	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-319	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-320	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-321	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-322	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-323	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-324	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-325	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-326	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-327	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-334	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-	
0-280-150-335	28.6	300.6	216.2	43.5	3.00	28.60	300.6	63.6	75.5	60.2	71.5	54.5	64.7	48.7	57.8	44.0	52.3	40.1	47.7	-	Volvo 2.3l Turbo	
0-280-150-351	71.0	746.2	536.8	43.5	3.00	71.00	746.2	157	187	149	177	135	160	120	143	109	129	99.6	118	Low	Chrysler 2.2l	
0-280-150-352	25.7	270.1	194.3	43.5	3.00	25.70	270.1	57.1	67.8	54.1	64.3	49.0	58.1	43.7	51.9	39.5	47.0	36.1	42.8	Low	BMW 2.3l, 6-3.2l, 6-3.4l, Plymouth 4-2.2l, 4-2.5l, Pontiac 1.8l,	

																					Porsche 2.5l	
0-280-150-353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	Ford 1.6l
0-280-150-355	37.0	388.9	279.7	-	-	-	-	82.2	97.6	77.9	92.5	70.5	83.7	63.0	74.8	56.9	67.6	51.9	61.7	Low	Volvo	
0-280-150-355	28.6	300.6	216.2	43.5	3.00	28.60	300.6	63.6	75.5	60.2	71.5	54.5	64.7	48.7	57.8	44.0	52.3	40.1	47.7	Low	Volvo 4-2.3l	
0-280-150-357	28.6	300.6	216.2	43.5	3.00	28.60	300.6	63.6	75.5	60.2	71.5	54.5	64.7	48.7	57.8	44.0	52.3	40.1	47.7	Low	Volvo 4-2.3l Turbo	
0-280-150-360	25.7	270.1	194.3	43.5	3.00	25.70	270.1	57.1	67.8	54.1	64.3	49.0	58.1	43.7	51.9	39.5	47.0	36.1	42.8	Low	BMW 2.3l, 6-3.2l, 6-3.4l, Plymouth 4-2.2l, 4-2.5l, Pontiac 1.8l, Porsche 2.5l	
0-280-150-361	26.9	282.7	203.4	43.5	3.00	26.90	282.7	59.8	71.0	56.6	67.3	51.2	60.8	45.8	54.4	41.4	49.1	37.8	44.8	Low	-	
0-280-150-362	25.7	270.1	194.3	43.5	3.00	25.70	270.1	57.1	67.8	54.1	64.3	49.0	58.1	43.7	51.9	39.5	47.0	36.1	42.8	Low	BMW 2.3l, 6-3.2l, 6-3.4l, Plymouth 4-2.2l, 4-2.5l, Pontiac 1.8l, Porsche 2.5l	
0-280-150-363	71.0	746.2	536.8	43.5	3.00	71.00	746.2	157	187	149	177	135	160	120	143	109	129	99.6	118	Low	Plymouth 4-2.2l	
0-280-150-364	25.7	270.1	194.3	43.5	3.00	25.70	270.1	57.1	67.8	54.1	64.3	49.0	58.1	43.7	51.9	39.5	47.0	36.1	42.8	Low	BMW 2.3l, 6-3.2l, 6-3.4l, Plymouth 4-2.2l, 4-2.5l, Pontiac 1.8l, Porsche 2.5l	
0-280-150-365	25.7	270.1	194.3	43.5	3.00	25.70	270.1	57.1	67.8	54.1	64.3	49.0	58.1	43.7	51.9	39.5	47.0	36.1	42.8	Low	-	
0-280-150-368	25.5	268.0	192.8	43.5	3.00	25.50	268.0	56.7	67.3	53.7	63.8	48.6	57.7	43.4	51.5	39.2	46.6	35.8	42.5	Low	-	
0-280-150-369	25.5	268.0	192.8	43.5	3.00	25.50	268.0	56.7	67.3	53.7	63.8	48.6	57.7	43.4	51.5	39.2	46.6	35.8	42.5	Low	-	
0-280-150-400	41.6	437.2	314.5	43.5	3.00	41.60	437.2	92.4	109	87.6	104	79.2	94.1	70.8	84.1	64.0	76.0	58.4	69.3	Low	Ford 5.0l	

0-280-150-400	46.0	483.5	347.8	-	-	-	-	102	121	96.8	115	87.6	104	78.3	93.0	70.8	84.0	64.6	76.7	Low	Ford 5.0l
0-280-150-401	41.6	437.2	314.5	43.5	3.00	41.60	437.2	92.4	109	87.6	104	79.2	94.1	70.8	84.1	64.0	76.0	58.4	69.3	Low	Ford
0-280-150-402	32.15	337.9	243.0	43.5	3.00	32.15	337.9	71.4	84.8	67.7	80.4	61.2	72.7	54.7	65.0	49.5	58.7	45.1	53.6	Low	Ford v6-3.8l
0-280-150-402	37.0	388.9	279.7	-	-	-	-	82.2	97.6	77.9	92.5	70.5	83.7	63.0	74.8	56.9	67.6	51.9	61.7	Low	Ford v6-3.8l
0-280-150-403	47.9	503.4	362.1	43.5	3.00	47.90	503.4	106	126	100	119	91.2	108	81.5	96.8	73.7	87.5	67.2	79.8	Low	Ford 5.0l HO
0-280-150-403	52.0	546.5	393.1	-	-	-	-	115	137	109	130	99.0	117	88.5	105	80.0	95.0	73.0	86.7	Low	Ford 5.0l HO
0-280-150-413	18.65	196.0	141.0	-	-	-	-	41.4	49.2	39.3	46.6	35.5	42.2	31.7	37.7	28.7	34.1	26.2	31.1	High	Opel
0-280-150-414	14.65	154.0	110.8	-	-	-	-	32.6	38.7	30.8	36.6	27.9	33.1	24.9	29.6	22.5	26.8	20.6	24.4	High	BMW 6-2.0l
0-280-150-415	18.1	190.2	136.8	50.75	3.50	16.76	176.1	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	High	BMW 6-2.5l
0-280-150-416	14.25	149.8	107.7	-	-	-	-	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Audi v8-3.6l, Ferrari
0-280-150-417	14.25	149.8	107.7	-	-	-	-	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	-
0-280-150-418	25.0	262.8	189.0	-	-	-	-	55.6	66.0	52.6	62.5	47.6	56.5	42.6	50.5	38.5	45.7	35.1	41.7	High	Opel
0-280-150-419	18.9	198.6	142.9	-	-	-	-	42.0	49.9	39.8	47.3	36.0	42.8	32.2	38.2	29.1	34.5	26.5	31.5	High	Ferrari f12-4.9l
0-280-150-420	28.9	303.7	218.5	-	-	-	-	64.2	76.3	60.8	72.3	55.0	65.4	49.2	58.4	44.5	52.8	40.6	48.2	High	Holden 4-2.0l, Opel
0-280-150-421	18.25	191.8	138.0	-	-	-	-	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Fiat
0-280-150-422	24.9	261.7	188.2	39.15	2.70	26.25	275.9	55.3	65.7	52.4	62.3	47.4	56.3	42.4	50.3	38.3	45.5	34.9	41.5	High	Fiat
0-280-150-423	18.65	196.0	141.0	-	-	-	-	41.4	49.2	39.3	46.6	35.5	42.2	31.7	37.7	28.7	34.1	26.2	31.1	High	Peugeot 4-2.0l
0-280-150-424	16.5	173.4	124.7	-	-	-	-	36.7	43.5	34.7	41.3	31.4	37.3	28.1	33.4	25.4	30.1	23.2	27.5	High	Audi v8-4.2l
0-280-150-425	16.5	173.4	124.7	-	-	-	-	36.7	43.5	34.7	41.3	31.4	37.3	28.1	33.4	25.4	30.1	23.2	27.5	High	-

0-280-150-427	22.95	241.2	173.5	-	-	-	-	51.0	60.6	48.3	57.4	43.7	51.9	39.1	46.4	35.3	41.9	32.2	38.3	High	Opel
0-280-150-428	18.65	196.0	141.0	-	-	-	-	41.4	49.2	39.3	46.6	35.5	42.2	31.7	37.7	28.7	34.1	26.2	31.1	High	Holden v6-2.5l, Opel, Saab v6-2.5l
0-280-150-429	18.65	196.0	141.0	-	-	-	-	41.4	49.2	39.3	46.6	35.5	42.2	31.7	37.7	28.7	34.1	26.2	31.1	High	Fiat
0-280-150-431	34.15	358.9	258.2	-	-	-	-	75.9	90.1	71.9	85.4	65.0	77.2	58.1	69.0	52.5	62.4	47.9	56.9	High	Saab 4-2.0l Turbo, 4-2.3l Turbo
0-280-150-431	33.3	350.0	251.7	43.5	3.00	33.30	350.0	74.0	87.9	70.1	83.3	63.4	75.3	56.7	67.3	51.2	60.8	46.7	55.5	High	-
0-280-150-432	22.85	240.2	172.7	-	-	-	-	50.8	60.3	48.1	57.1	43.5	51.7	38.9	46.2	35.2	41.7	32.1	38.1	High	Saab 4-2.0l, 4-2.3l
0-280-150-432	23.8	250.1	179.9	43.5	3.00	23.80	250.1	52.9	62.8	50.1	59.5	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	High	-
0-280-150-433	22.85	240.2	172.7	-	-	-	-	50.8	60.3	48.1	57.1	43.5	51.7	38.9	46.2	35.2	41.7	32.1	38.1	High	Hyundai
0-280-150-438	16.25	170.8	122.8	-	-	-	-	36.1	42.9	34.2	40.6	31.0	36.8	27.7	32.8	25.0	29.7	22.8	27.1	High	Toyota
0-280-150-439	16.0	168.2	121.0	-	-	-	-	35.6	42.2	33.7	40.0	30.5	36.2	27.2	32.3	24.6	29.2	22.5	26.7	High	Toyota
0-280-150-440	23.8	250.1	179.9	50.75	3.50	22.03	231.6	52.9	62.8	50.1	59.5	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	High	BMW 6-2.8l
0-280-150-441	19.3	202.8	145.9	-	-	-	-	42.9	50.9	40.6	48.3	36.8	43.7	32.9	39.0	29.7	35.3	27.1	32.2	High	Audi v8-3.7l, v8-4.2l
0-280-150-442	19.3	202.8	145.9	-	-	-	-	42.9	50.9	40.6	48.3	36.8	43.7	32.9	39.0	29.7	35.3	27.1	32.2	High	-
0-280-150-443	18.25	191.8	138.0	-	-	-	-	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Fiat
0-280-150-444	14.25	149.8	107.7	-	-	-	-	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Audi 4-1.8l, VW 4-1.8l
0-280-150-445	14.25	149.8	107.7	-	-	-	-	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	-
0-280-150-446	16.75	176.0	126.6	-	-	-	-	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	-
0-280-150-447	22.9	240.7	173.1	-	-	-	-	50.9	60.4	48.2	57.3	43.6	51.8	39.0	46.3	35.2	41.8	32.1	38.2	High	Audi 4-1.8l Turbo, VW 4-

																						1.8l Turbo
0-280-150-448	22.9	240.7	173.1	-	-	-	-	50.9	60.4	48.2	57.3	43.6	51.8	39.0	46.3	35.2	41.8	32.1	38.2	High	-	
0-280-150-449	22.9	240.7	173.1	-	-	-	-	50.9	60.4	48.2	57.3	43.6	51.8	39.0	46.3	35.2	41.8	32.1	38.2	High	Ferrari v12-5.5l	
0-280-150-450	31.9	335.3	241.2	-	-	-	-	70.9	84.2	67.2	79.8	60.8	72.2	54.3	64.5	49.1	58.3	44.8	53.2	High	Fiat	
0-280-150-452	22.85	240.2	172.7	-	-	-	-	50.8	60.3	48.1	57.1	43.5	51.7	38.9	46.2	35.2	41.7	32.1	38.1	High	-	
0-280-150-453	26.0	273.3	196.6	-	-	-	-	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	High	-	
0-280-150-454	18.2	191.3	137.6	-	-	-	-	40.4	48.0	38.3	45.5	34.7	41.2	31.0	36.8	28.0	33.3	25.5	30.3	High	Audi	
0-280-150-455	21.0	220.7	158.8	-	-	-	-	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	Porsche 6-2.5l, 6-2.7l, 6-3.2l, 6-3.4l	
0-280-150-456	18.2	191.3	137.6	-	-	-	-	40.4	48.0	38.3	45.5	34.7	41.2	31.0	36.8	28.0	33.3	25.5	30.3	High	Audi	
0-280-150-457	14.25	149.8	107.7	-	-	-	-	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Audi	
0-280-150-458	14.25	149.8	107.7	-	-	-	-	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	-	
0-280-150-459	15.6	164.0	117.9	-	-	-	-	34.7	41.2	32.8	39.0	29.7	35.3	26.6	31.5	24.0	28.5	21.9	26.0	High	Audi	
0-280-150-460	15.6	164.0	117.9	-	-	-	-	34.7	41.2	32.8	39.0	29.7	35.3	26.6	31.5	24.0	28.5	21.9	26.0	High	-	
0-280-150-461	22.85	240.2	172.7	-	-	-	-	50.8	60.3	48.1	57.1	43.5	51.7	38.9	46.2	35.2	41.7	32.1	38.1	High	-	
0-280-150-462	22.55	237.0	170.5	-	-	-	-	50.1	59.5	47.5	56.4	43.0	51.0	38.4	45.6	34.7	41.2	31.6	37.6	High	Audi, VW	
0-280-150-463	18.25	191.8	138.0	-	-	-	-	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Audi v8-4.2l	
0-280-150-464	23.7	249.1	179.2	-	-	-	-	52.7	62.5	49.9	59.3	45.1	53.6	40.3	47.9	36.5	43.3	33.3	39.5	High	VW 4-1.8l Turbo	
0-280-150-465	23.7	249.1	179.2	-	-	-	-	52.7	62.5	49.9	59.3	45.1	53.6	40.3	47.9	36.5	43.3	33.3	39.5	High	-	
0-280-150-466	26.0	273.3	196.6	-	-	-	-	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	High	BMW	

0-280-150-467	26.0	273.3	196.6	-	-	-	-	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	High	Audi 1.8l Turbo
0-280-150-468	21.0	220.7	158.8	-	-	-	-	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	Audi
0-280-150-469	21.0	220.7	158.8	-	-	-	-	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	-
0-280-150-470	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	Porsche 6-3.4l
0-280-150-500	18.25	191.8	138.0	-	-	-	-	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	KIA
0-280-150-500	20.15	211.8	152.3	43.5	3.00	20.15	211.8	44.8	53.2	42.4	50.4	38.4	45.6	34.3	40.7	31.0	36.8	28.3	33.6	High	-
0-280-150-501	18.25	191.8	138.0	-	-	-	-	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	BMW 4-1.9l
0-280-150-502	22.85	240.2	172.7	-	-	-	-	50.8	60.3	48.1	57.1	43.5	51.7	38.9	46.2	35.2	41.7	32.1	38.1	High	KIA 4-2.0l
0-280-150-503	18.25	191.8	138.0	-	-	-	-	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	-
0-280-150-503	20.15	211.8	152.3	43.5	3.00	20.15	211.8	44.8	53.2	42.4	50.4	38.4	45.6	34.3	40.7	31.0	36.8	28.3	33.6	High	-
0-280-150-504	22.85	240.2	172.7	-	-	-	-	50.8	60.3	48.1	57.1	43.5	51.7	38.9	46.2	35.2	41.7	32.1	38.1	High	KIA 4-2.0l
0-280-150-505	18.25	191.8	138.0	-	-	-	-	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Volvo
0-280-150-506	22.85	240.2	172.7	-	-	-	-	50.8	60.3	48.1	57.1	43.5	51.7	38.9	46.2	35.2	41.7	32.1	38.1	High	KIA
0-280-150-507	22.85	240.2	172.7	-	-	-	-	50.8	60.3	48.1	57.1	43.5	51.7	38.9	46.2	35.2	41.7	32.1	38.1	High	-
0-280-150-508	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	Audi
0-280-150-509	16.5	173.4	124.7	-	-	-	-	36.7	43.5	34.7	41.3	31.4	37.3	28.1	33.4	25.4	30.1	23.2	27.5	High	Audi
0-280-150-550	26.0	273.3	196.6	-	-	-	-	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	High	-
0-280-150-551	14.25	149.8	107.7	-	-	-	-	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Audi 1.8l
0-280-150-552	14.25	149.8	107.7	-	-	-	-	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Audi v6-2.6l, v6-2.8l

0-280-150-553	26.0	273.3	196.6	-	-	-	-	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	High	VW
0-280-150-554	26.0	273.3	196.6	-	-	-	-	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	High	-
0-280-150-555	9.6	100.9	72.62	-	-	-	-	21.3	25.3	20.2	24.0	18.3	21.7	16.3	19.4	14.8	17.5	13.5	16.0	High	-
0-280-150-556	18.25	191.8	138.0	-	-	-	-	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Range Rover v8-3.9l, Land Rover Discovery v8-4.0l
0-280-150-556	20.0	210.2	151.2	43.5	3.00	20.00	210.2	44.4	52.8	42.1	50.0	38.1	45.2	34.0	40.4	30.8	36.5	28.1	33.3	High	Ford
0-280-150-557	20.0	210.2	151.2	43.5	3.00	20.00	210.2	44.4	52.8	42.1	50.0	38.1	45.2	34.0	40.4	30.8	36.5	28.1	33.3	High	-
0-280-150-558	40.0	420.4	302.4	43.5	3.00	40.00	420.4	88.9	105	84.2	100	76.2	90.5	68.1	80.9	61.5	73.1	56.1	66.7	High	Ford
0-280-150-559	39.75	417.8	300.5	-	-	-	-	88.3	104	83.7	99.4	75.7	89.9	67.7	80.3	61.2	72.6	55.8	66.3	High	-
0-280-150-560	20.0	210.2	151.2	43.5	3.00	20.00	210.2	44.4	52.8	42.1	50.0	38.1	45.2	34.0	40.4	30.8	36.5	28.1	33.3	High	-
0-280-150-561	22.0	231.2	166.3	-	-	-	-	48.9	58.1	46.3	55.0	41.9	49.8	37.4	44.5	33.8	40.2	30.9	36.7	High	Range Rover, Vette
0-280-150-588	40.0	420.4	302.4	-	-	-	-	88.9	105	84.2	100	76.2	90.5	68.1	80.9	61.5	73.1	56.1	66.7	High	-
0-280-150-601	48.5	509.7	366.7	36.25	2.50	53.13	558.4	107	128	102	121	92.4	109	82.6	98.0	74.6	88.6	68.1	80.8	-	Ford 2.5l
0-280-150-603	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	VW
0-280-150-608	42.0	441.4	317.5	36.25	2.50	46.01	483.6	93.3	110	88.4	105	80.0	95.0	71.5	84.9	64.6	76.7	58.9	70.0	-	Ford
0-280-150-614	18.0	189.2	136.1	43.5	3.00	18.00	189.2	40.0	47.5	37.9	45.0	34.3	40.7	30.6	36.4	27.7	32.9	25.3	30.0	-	Renault
0-280-150-651	78.0	819.8	589.7	43.5	3.00	78.00	819.8	173	205	164	195	148	176	132	157	120	142	109	130	Low	Audi, VW
0-280-150-653	98.0	1030	740.9	43.5	3.00	98.00	1030	217	258	206	245	186	221	166	198	150	179	137	163	Low	Chrysler
0-280-150-	98.0	1030	740.9	43.5	3.00	98.00	1030	217	258	206	245	186	221	166	198	150	179	137	163	Low	-

655																					
0-280-150-657	81.0	851.3	612.3	43.5	3.00	81.00	851.3	180	213	170	202	154	183	137	163	124	148	113	135	Low	Rover
0-280-150-672	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	-
0-280-150-674	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Dodge 3.9l
0-280-150-668	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	VW 1.8l
0-280-150-701	22.85	240.2	172.7	-	-	-	-	50.8	60.3	48.1	57.1	43.5	51.7	38.9	46.2	35.2	41.7	32.1	38.1	High	Alfa v6-3.0l, BMW 6-3.0l, 6-3.5l, Citroen 4-2.0l, Fiat
0-280-150-701	21.5	226.0	162.5	43.5	3.00	21.50	226.0	47.8	56.7	45.3	53.8	41.0	48.6	36.6	43.5	33.1	39.3	30.2	35.8	High	-
0-280-150-702	18.0	189.2	136.1	43.5	3.00	18.00	189.2	40.0	47.5	37.9	45.0	34.3	40.7	30.6	36.4	27.7	32.9	25.3	30.0	High	Alfa 4-1.7l, 4-2.0l, v6-2.5l, v6-3.0l, Fiat, Ford 4-2.0l, Nissan
0-280-150-703	14.2	149.2	107.4	43.5	3.00	14.20	149.2	31.6	37.5	29.9	35.5	27.0	32.1	24.2	28.7	21.8	25.9	19.9	23.7	High	Alfa 4-1.7l, Rover 1.4l
0-280-150-704	16.2	170.3	122.5	43.5	3.00	16.20	170.3	36.0	42.8	34.1	40.5	30.9	36.6	27.6	32.7	24.9	29.6	22.7	27.0	High	BMW 4-1.8l
0-280-150-705	14.35	150.8	108.5	-	-	-	-	31.9	37.9	30.2	35.9	27.3	32.5	24.4	29.0	22.1	26.2	20.1	23.9	High	BMW 4-1.0l, 4-1.1l, 4-1.2l, Yugo 1.3l
0-280-150-706	20.35	213.9	153.8	36.25	2.50	22.29	234.3	45.2	53.7	42.8	50.9	38.8	46.0	34.6	41.1	31.3	37.2	28.6	33.9	High	HSV v8-5.0l, Mitsubishi 4-2.6l, Porsche v8-5.0l, Saab 4-2.0l Turbo
0-280-150-707	18.25	191.8	138.0	36.25	2.50	19.99	210.1	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Alfa
0-280-150-708	14.35	150.8	108.5	36.25	2.50	15.72	165.2	31.9	37.9	30.2	35.9	27.3	32.5	24.4	29.0	22.1	26.2	20.1	23.9	High	Alfa
0-280-150-710	13.5	141.9	102.1	36.25	2.50	14.79	155.4	30.0	35.6	28.4	33.8	25.7	30.5	23.0	27.3	20.8	24.7	18.9	22.5	High	Ford 1.9l, 2.3l, v6-3.0l, v6-3.8l, v8-5.0l



729	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Opel
0-280-150-730	18.45	193.9	139.5	43.5	3.00	18.45	193.9	41.0	48.7	38.8	46.1	35.1	41.7	31.4	37.3	28.4	33.7	25.9	30.8	High	Porsche v8-5.0l, v8-5.4l
0-280-150-731	18.45	193.9	139.5	43.5	3.00	18.45	193.9	41.0	48.7	38.8	46.1	35.1	41.7	31.4	37.3	28.4	33.7	25.9	30.8	High	Ferrari v8-3.4l, Porsche 6-3.6l
0-280-150-734	19.05	200.2	144.0	36.25	2.50	20.87	219.3	42.3	50.3	40.1	47.6	36.3	43.1	32.4	38.5	29.3	34.8	26.7	31.8	High	Citrogen 4-1.9l, Peugeot 4-1.9l, 4-2.2l, v6-2.85l, Volvo 4-2.0l, 4-2.3l, v6-2.8l, v6-3.0l
0-280-150-736	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Ford
0-280-150-737	29.0	304.8	219.2	43.5	3.00	29.00	304.8	64.4	76.5	61.1	72.5	55.2	65.6	49.4	58.6	44.6	53.0	40.7	48.3	High	Audi 2.2l Turbo, Rover, VW
0-280-150-738	29.0	304.8	219.2	-	-	-	-	64.4	76.5	61.1	72.5	55.2	65.6	49.4	58.6	44.6	53.0	40.7	48.3	High	-
0-280-150-740	14.25	149.8	107.7	43.5	3.00	14.25	149.8	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Volvo
0-280-150-741	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Volvo
0-280-150-742	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Hyundai 4-1.5l, 4-1.6l
0-280-150-743	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Ford
0-280-150-744	20.4	214.4	154.2	36.25	2.50	22.35	234.9	45.3	53.8	42.9	51.0	38.9	46.1	34.7	41.2	31.4	37.3	28.6	34.0	High	Holden 4-2.0l, GM 4-2.0l, Opel
0-280-150-745	22.35	234.9	169.0	-	-	-	-	49.7	59.0	47.1	55.9	42.6	50.6	38.0	45.2	34.4	40.8	31.4	37.3	High	Hyundai 4-1.6l, 4-1.8l, v6-3.0l
0-280-150-746	26.35	276.9	199.2	-	-	-	-	58.6	69.5	55.5	65.9	50.2	59.6	44.9	53.3	40.5	48.1	37.0	43.9	High	Hyundai 4-2.4l
0-280-150-747	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Opel
0-280-150-748	14.35	150.8	108.5	43.5	3.00	14.35	150.8	31.9	37.9	30.2	35.9	27.3	32.5	24.4	29.0	22.1	26.2	20.1	23.9	High	Opel
0-280-150-	20.75	218.1	156.9	-	-	-	-	46.1	54.8	43.7	51.9	39.5	46.9	35.3	41.9	31.9	37.9	29.1	34.6	High	MG 4-1.8l, Rover 4-1.8l,



767	17.9	188.1	135.3	43.5	3.00	17.90	188.1	39.8	47.2	37.7	44.8	34.1	40.5	30.5	36.2	27.5	32.7	25.1	29.8	High	-
0-280-150-769	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Alfa
0-280-150-770	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Cosworth
0-280-150-771	14.35	150.8	108.5	43.5	3.00	14.35	150.8	31.9	37.9	30.2	35.9	27.3	32.5	24.4	29.0	22.1	26.2	20.1	23.9	High	Opel
0-280-150-773	14.25	149.8	107.7	43.5	3.00	14.25	149.8	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Hyundai 1.5l
0-280-150-774	18.5	194.4	139.9	-	-	-	-	41.1	48.8	38.9	46.3	35.2	41.8	31.5	37.4	28.5	33.8	26.0	30.8	High	Buick / Olds / Pontiac v6-3.8l, Chrysler/Dodge 6-3.0l
0-280-150-775	18.65	196.0	141.0	47.9	3.30	17.77	186.8	41.4	49.2	39.3	46.6	35.5	42.2	31.7	37.7	28.7	34.1	26.2	31.1	High	HSV v8-5.7l, Mitsubishi 4-2.6l
0-280-150-776	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Hyundai 1.5l
0-280-150-777	26.35	276.9	199.2	-	-	-	-	58.6	69.5	55.5	65.9	50.2	59.6	44.9	53.3	40.5	48.1	37.0	43.9	High	GM
0-280-150-778	18.15	190.8	137.2	43.5	3.00	18.15	190.8	40.3	47.9	38.2	45.4	34.6	41.1	30.9	36.7	27.9	33.2	25.5	30.3	High	BMW v8-3.0l, v8-3.5l, v8-4.0l, v8-4.4l
0-280-150-779	19.0	199.7	143.6	43.5	3.00	19.00	199.7	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Volvo 5-2.5l
0-280-150-783	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	KIA 4-2.0l
0-280-150-784	28.85	303.2	218.1	-	-	-	-	64.1	76.1	60.7	72.1	55.0	65.3	49.1	58.3	44.4	52.7	40.5	48.1	High	BMW
0-280-150-785	29.5	310.0	223.0	57	3.93	25.77	270.9	65.6	77.8	62.1	73.8	56.2	66.7	50.2	59.6	45.4	53.9	41.4	49.2	High	Volvo 5-2.4l
0-280-150-786	22.15	232.8	167.5	43.5	3.00	22.15	232.8	49.2	58.5	46.6	55.4	42.2	50.1	37.7	44.8	34.1	40.5	31.1	36.9	High	Porsche 6-3.6l
0-280-150-788	19.3	202.8	145.9	-	-	-	-	42.9	50.9	40.6	48.3	36.8	43.7	32.9	39.0	29.7	35.3	27.1	32.2	High	Mitsubishi v6-3.0l
0-280-150-789	14.35	150.8	108.5	43.5	3.00	14.35	150.8	31.9	37.9	30.2	35.9	27.3	32.5	24.4	29.0	22.1	26.2	20.1	23.9	High	-
0-280-150-	18.15	190.8	137.2	43.5	3.00	18.15	190.8	40.3	47.9	38.2	45.4	34.6	41.1	30.9	36.7	27.9	33.2	25.5	30.3	High	Ford 6-3.9, 6-

790																					4.0l
0-280-150-791	37.75	396.8	285.4	-	-	-	-	83.9	99.6	79.5	94.4	71.9	85.4	64.3	76.3	58.1	69.0	53.0	62.9	High	Porsche 6-3.6l
0-280-150-792	23.3	244.9	176.1	-	-	-	-	51.8	61.5	49.1	58.3	44.4	52.7	39.7	47.1	35.8	42.6	32.7	38.8	High	BMW 6-3.2l, v8-5.0l
0-280-150-793	10.75	113.0	81.31	-	-	-	-	23.9	28.4	22.6	26.9	20.5	24.3	18.3	21.7	16.5	19.6	15.1	17.9	High	BMW 4-1.2l
0-280-150-802	25.8	271.2	195.0	36.25	2.50	28.26	297.0	57.3	68.1	54.3	64.5	49.1	58.4	43.9	52.1	39.7	47.1	36.2	43.0	Low	Volvo
0-280-150-802	27.0	283.8	204.1	43.5	3.00	27.00	283.8	60.0	71.3	56.8	67.5	51.4	61.1	46.0	54.6	41.5	49.3	37.9	45.0	Low	Peugeot 2.2l Turbo, Renault Turbo, Volvo Turbo
0-280-150-803	37.1	389.9	280.5	39.15	2.70	39.11	411.0	82.4	97.9	78.1	92.8	70.7	83.9	63.1	75.0	57.1	67.8	52.1	61.8	Low	Porsche 944 Turbo 4-2.5l
0-280-150-804	32.05	336.8	242.3	43.5	3.00	32.05	336.8	71.2	84.6	67.5	80.1	61.0	72.5	54.6	64.8	49.3	58.6	45.0	53.4	Low	Peugeot, Volvo 4-2.3l Turbo
0-280-150-806	32.0	336.3	241.9	43.5	3.00	32.00	336.3	71.1	84.4	67.4	80.0	61.0	72.4	54.5	64.7	49.2	58.5	44.9	53.3	Low	Chrysler
0-280-150-807	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-808	31.5	331.1	238.1	55	3.79	28.01	294.4	70.0	83.1	66.3	78.8	60.0	71.3	53.6	63.7	48.5	57.5	44.2	52.5	Low	Mazda, Chrysler 2.2l Turbo, Holden v6-3.8l
0-280-150-809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
0-280-150-810	28.45	299.0	215.1	-	-	-	-	63.2	75.1	59.9	71.1	54.2	64.4	48.4	57.5	43.8	52.0	39.9	47.4	Low	Pontiac 2.0l Turbo
0-280-150-811	28.35	298.0	214.3	50.8	3.50	26.23	275.7	63.0	74.8	59.7	70.9	54.0	64.1	48.3	57.3	43.6	51.8	39.8	47.3	Low	Porsche 944 4-3.0l
0-280-150-812	19.3	202.8	145.9	-	-	-	-	42.9	50.9	40.6	48.3	36.8	43.7	32.9	39.0	29.7	35.3	27.1	32.2	Low	Chrysler v6-3.0l
0-280-150-813	28.45	299.0	215.1	-	-	-	-	63.2	75.1	59.9	71.1	54.2	64.4	48.4	57.5	43.8	52.0	39.9	47.4	Low	Chrysler 2.5l Turbo
0-280-150-814	36.55	384.1	276.3	43.5	3.00	36.55	384.1	81.2	96.5	76.9	91.4	69.6	82.7	62.2	73.9	56.2	66.8	51.3	60.9	Low	-
0-280-150-	22.65	238.1	171.2	-	-	-	-	50.3	59.8	47.7	56.6	43.1	51.2	38.6	45.8	34.8	41.4	31.8	37.8	Low	-



841	59.2	622.2	447.5	-	-	-	-	131	156	124	148	112	133	100	119	91.1	108	83.1	98.7	Low	-
0-280-150-842	150.35	1580	1136	43.5	3.00	150.3	1580	334	396	316	375	286	340	255	303	231	274	211	250	Low	-
0-280-150-845	59.2	622.2	447.5	-	-	-	-	131	156	124	148	112	133	100	119	91.1	108	83.1	98.7	Low	-
0-280-150-846	160.0	1681	1209	-	-	-	-	355	422	336	400	304	361	272	323	246	292	224	266	Low	-
0-280-150-846	152.25	1600	1151	43.5	3.00	152.2	1600	338	401	320	380	290	344	259	307	234	278	213	253	Low	-
0-280-150-901	18.55	195.0	140.2	43.5	3.00	18.55	195.0	41.2	49.0	39.1	46.4	35.3	42.0	31.6	37.5	28.5	33.9	26.0	30.9	High	GM v6-3.8l, v8-5.0l, Holden v6-3.8l, v8-5.0l, HSV v8-5.0l, Toyota v6-3.8l
0-280-150-902	18.75	197.1	141.7	-	-	-	-	41.7	49.5	39.5	46.9	35.7	42.4	31.9	37.9	28.8	34.3	26.3	31.3	High	Audi 4-2.0l, VW 4-1.8l
0-280-150-902	20.75	218.1	156.9	43.5	3.00	20.75	218.1	46.1	54.8	43.7	51.9	39.5	46.9	35.3	41.9	31.9	37.9	29.1	34.6	High	-
0-280-150-903	18.75	197.1	141.7	-	-	-	-	41.7	49.5	39.5	46.9	35.7	42.4	31.9	37.9	28.8	34.3	26.3	31.3	High	VW 1.8l
0-280-150-905	23.3	244.9	176.1	-	-	-	-	51.8	61.5	49.1	58.3	44.4	52.7	39.7	47.1	35.8	42.6	32.7	38.8	High	Audi, VW 1.8l
0-280-150-905	25.1	263.8	189.8	43.5	3.00	25.10	263.8	55.8	66.2	52.8	62.8	47.8	56.8	42.7	50.7	38.6	45.9	35.2	41.8	High	-
0-280-150-906	23.3	244.9	176.1	-	-	-	-	51.8	61.5	49.1	58.3	44.4	52.7	39.7	47.1	35.8	42.6	32.7	38.8	High	BMW 4-1.8l
0-280-150-908	23.4	245.9	176.9	-	-	-	-	52.0	61.8	49.3	58.5	44.6	52.9	39.8	47.3	36.0	42.8	32.8	39.0	High	Ford
0-280-150-911	30.0	315.3	226.8	39.15	2.70	31.62	332.4	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	Ford v6-3.8l SC
0-280-150-912	30.55	321.1	231.0	43.5	3.00	30.55	321.1	67.9	80.6	64.3	76.4	58.2	69.1	52.0	61.8	47.0	55.8	42.9	50.9	High	Ford v6-3.8l SC
0-280-150-913	24.4	256.4	184.5	39.15	2.70	25.72	270.3	54.2	64.4	51.4	61.0	46.5	55.2	41.5	49.3	37.5	44.6	34.2	40.7	High	Ford Truck 8-7.5l
0-280-150-914	24.4	256.4	184.5	39.15	2.70	25.72	270.3	54.2	64.4	51.4	61.0	46.5	55.2	41.5	49.3	37.5	44.6	34.2	40.7	High	-
0-280-150-917	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	GM v6-3.8l

0-280-150-921	14.25	149.8	107.7	43.5	3.00	14.25	149.8	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Audi 4-2.8l, v6-2.6l, v6-2.8l
0-280-150-922	14.25	149.8	107.7	43.5	3.00	14.25	149.8	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	-
0-280-150-923	29.3	307.9	221.5	-	-	-	-	65.1	77.3	61.7	73.3	55.8	66.3	49.9	59.2	45.1	53.5	41.1	48.8	High	Audi, VW
0-280-150-924	29.3	307.9	221.5	-	-	-	-	65.1	77.3	61.7	73.3	55.8	66.3	49.9	59.2	45.1	53.5	41.1	48.8	High	-
0-280-150-925	18.0	189.2	136.1	43.5	3.00	18.00	189.2	40.0	47.5	37.9	45.0	34.3	40.7	30.6	36.4	27.7	32.9	25.3	30.0	High	Dodge Truck v6-3.9l
0-280-150-926	18.0	189.2	136.1	43.5	3.00	18.00	189.2	40.0	47.5	37.9	45.0	34.3	40.7	30.6	36.4	27.7	32.9	25.3	30.0	High	Dodge Truck v6-3.9l
0-280-150-927	21.8	229.1	164.8	-	-	-	-	48.4	57.5	45.9	54.5	41.5	49.3	37.1	44.1	33.5	39.8	30.6	36.3	High	Chrysler v6-3.8l, Dodge Truck v6-3.9l
0-280-150-928	21.8	229.1	164.8	-	-	-	-	48.4	57.5	45.9	54.5	41.5	49.3	37.1	44.1	33.5	39.8	30.6	36.3	High	Chrysler v6-3.8l, Dodge Truck v6-3.9l
0-280-150-929	14.35	150.8	108.5	43.5	3.00	14.35	150.8	31.9	37.9	30.2	35.9	27.3	32.5	24.4	29.0	22.1	26.2	20.1	23.9	High	Audi, VW 6-2.8l
0-280-150-930	14.35	150.8	108.5	43.5	3.00	14.35	150.8	31.9	37.9	30.2	35.9	27.3	32.5	24.4	29.0	22.1	26.2	20.1	23.9	High	-
0-280-150-931	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Ford Truck 6-4.0l
0-280-150-932	28.85	303.2	218.1	-	-	-	-	64.1	76.1	60.7	72.1	55.0	65.3	49.1	58.3	44.4	52.7	40.5	48.1	High	Audi, VW
0-280-150-933	29.0	304.8	219.2	-	-	-	-	64.4	76.5	61.1	72.5	55.2	65.6	49.4	58.6	44.6	53.0	40.7	48.3	High	-
0-280-150-934	28.05	294.8	212.1	-	-	-	-	62.3	74.0	59.1	70.1	53.4	63.4	47.7	56.7	43.2	51.2	39.4	46.8	High	Dodge v6-3.0l, Pontiac v6-3.8l
0-280-150-934	29.3	307.9	221.5	43.5	3.00	29.30	307.9	65.1	77.3	61.7	73.3	55.8	66.3	49.9	59.2	45.1	53.5	41.1	48.8	High	-
0-280-150-935	16.45	172.9	124.4	-	-	-	-	36.6	43.4	34.6	41.1	31.3	37.2	28.0	33.3	25.3	30.1	23.1	27.4	Low	Fiat
0-280-150-936	18.1	190.2	136.8	43.5	3.00	18.10	190.2	40.2	47.8	38.1	45.3	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	Low	-
0-280-150-937	13.5	141.9	102.1	-	-	-	-	30.0	35.6	28.4	33.8	25.7	30.5	23.0	27.3	20.8	24.7	18.9	22.5	High	Ford 1.9l, 2.3l, 6-4.9l



955	18.65	196.0	141.0	43.5	3.00	18.65	196.0	41.4	49.2	39.3	46.6	35.5	42.2	31.7	37.7	28.7	34.1	26.2	31.1	High	-
0-280-150-956	16.75	176.0	126.6	-	-	-	-	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	-
0-280-150-957	21.2	222.8	160.3	-	-	-	-	47.1	55.9	44.6	53.0	40.4	48.0	36.1	42.9	32.6	38.7	29.8	35.3	High	Chrysler v6-3.8l, Dodge Truck v6-3.9l
0-280-150-958	21.2	222.8	160.3	-	-	-	-	47.1	55.9	44.6	53.0	40.4	48.0	36.1	42.9	32.6	38.7	29.8	35.3	High	Chrysler v6-3.8l, Dodge Truck v6-3.9l
0-280-150-960	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Holden v6-3.8l, v8-5.0l, HSV v8-5.0l, Toyota v6-3.8l
0-280-150-962	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Opel
0-280-150-963	17.7	186.0	133.8	-	-	-	-	39.3	46.7	37.3	44.3	33.7	40.0	30.1	35.8	27.2	32.3	24.8	29.5	High	Nissan
0-280-150-964	17.7	186.0	133.8	-	-	-	-	39.3	46.7	37.3	44.3	33.7	40.0	30.1	35.8	27.2	32.3	24.8	29.5	High	-
0-280-150-965	21.05	221.2	159.1	-	-	-	-	46.8	55.5	44.3	52.6	40.1	47.6	35.8	42.5	32.4	38.5	29.5	35.1	High	Chrysler / Dodge / Plymouth 4-2.0l
0-280-150-965	22.65	238.1	171.2	43.5	3.00	22.65	238.1	50.3	59.8	47.7	56.6	43.1	51.2	38.6	45.8	34.8	41.4	31.8	37.8	High	-
0-280-150-966	21.05	221.2	159.1	-	-	-	-	46.8	55.5	44.3	52.6	40.1	47.6	35.8	42.5	32.4	38.5	29.5	35.1	High	-
0-280-150-967	34.0	357.3	257.0	43.5	3.00	34.00	357.3	75.6	89.7	71.6	85.0	64.8	76.9	57.9	68.7	52.3	62.1	47.7	56.7	High	Ford v6-3.8l SC
0-280-150-968	34.0	357.3	257.0	43.5	3.00	34.00	357.3	75.6	89.7	71.6	85.0	64.8	76.9	57.9	68.7	52.3	62.1	47.7	56.7	High	Ford
0-280-150-969	42.0	441.4	317.5	43.5	3.00	42.00	441.4	93.3	110	88.4	105	80.0	95.0	71.5	84.9	64.6	76.7	58.9	70.0	Low	GM
0-280-150-971	22.35	234.9	169.0	-	-	-	-	49.7	59.0	47.1	55.9	42.6	50.6	38.0	45.2	34.4	40.8	31.4	37.3	High	Hyundai
0-280-150-972	21.05	221.2	159.1	-	-	-	-	46.8	55.5	44.3	52.6	40.1	47.6	35.8	42.5	32.4	38.5	29.5	35.1	High	Ford
0-280-150-973	18.65	196.0	141.0	43.5	3.00	18.65	196.0	41.4	49.2	39.3	46.6	35.5	42.2	31.7	37.7	28.7	34.1	26.2	31.1	High	Buick, Holden v6-3.8l, v8-5.0l, HSV v8-5.0l,





205	18.8	197.6	142.1	-	-	-	-	41.8	49.6	39.6	47.0	35.8	42.5	32.0	38.0	28.9	34.3	26.4	31.3	High	M B 6-3.2l
0-280-155-209	18.8	197.6	142.1	-	-	-	-	41.8	49.6	39.6	47.0	35.8	42.5	32.0	38.0	28.9	34.3	26.4	31.3	high	M B 4-1.8l, 4-2.0l, 4-2.2l, 4-2.3l, 6-2.8l, 6-3.6l
0-280-155-213	18.35	192.9	138.7	43.5	3.00	18.35	192.9	40.8	48.4	38.6	45.9	35.0	41.5	31.2	37.1	28.2	33.5	25.8	30.6	High	ferrari
0-280-155-216	19.85	208.6	150.1	-	-	-	-	44.1	52.4	41.8	49.6	37.8	44.9	33.8	40.1	30.5	36.3	27.9	33.1	High	Citroen 4-2.0l, Peugeot 4-2.0l - Feedback - Mikael Westerberg
0-280-155-217	18.8	197.6	142.1	-	-	-	-	41.8	49.6	39.6	47.0	35.8	42.5	32.0	38.0	28.9	34.3	26.4	31.3	High	M B v8-4.2l, v8-5.0l
0-280-155-219	18.8	197.6	142.1	-	-	-	-	41.8	49.6	39.6	47.0	35.8	42.5	32.0	38.0	28.9	34.3	26.4	31.3	High	M B v12-6.0l
0-280-155-503	18.2	191.3	137.6	43.5	3.00	18.20	191.3	40.4	48.0	38.3	45.5	34.7	41.2	31.0	36.8	28.0	33.3	25.5	30.3	High	Ford
0-280-155-504	24.35	255.9	184.1	43.5	3.00	24.35	255.9	54.1	64.3	51.3	60.9	46.4	55.1	41.4	49.2	37.5	44.5	34.2	40.6	High	Ford
0-280-155-505	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	-
0-280-155-600	16.55	173.9	125.1	43.5	3.00	16.55	173.9	36.8	43.7	34.8	41.4	31.5	37.4	28.2	33.5	25.5	30.2	23.2	27.6	High	VW
0-280-155-602	24.3	255.4	183.7	43.5	3.00	24.30	255.4	54.0	64.1	51.2	60.8	46.3	55.0	41.4	49.1	37.4	44.4	34.1	40.5	High	-
0-280-155-604	13.1	137.7	99.08	-	-	-	-	29.1	34.6	27.6	32.8	25.0	29.6	22.3	26.5	20.2	23.9	18.4	21.8	High	VW 4-2.0l, 5-2.5l
0-280-155-606	20.5	215.5	155.0	43.5	3.00	20.50	215.5	45.6	54.1	43.2	51.3	39.0	46.4	34.9	41.4	31.5	37.5	28.8	34.2	High	VW
0-280-155-607	25.0	262.8	189.0	43.5	3.00	25.00	262.8	55.6	66.0	52.6	62.5	47.6	56.5	42.6	50.5	38.5	45.7	35.1	41.7	High	-
0-280-155-609	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Cosworth
0-280-155-611	24.9	261.7	188.2	43.5	3.00	24.90	261.7	55.3	65.7	52.4	62.3	47.4	56.3	42.4	50.3	38.3	45.5	34.9	41.5	High	-
0-280-155-613	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	high	Citroen v6-3.0l, Peugeot 6-3.0l



737	34.55	363.1	261.2	43.5	3.00	34.55	363.1	76.8	91.2	72.7	86.4	65.8	78.1	58.8	69.8	53.2	63.1	48.5	57.6	High	02-14-2007
0-280-155-739	26.35	276.9	199.2	43.5	3.00	26.35	276.9	58.6	69.5	55.5	65.9	50.2	59.6	44.9	53.3	40.5	48.1	37.0	43.9	High	-
0-280-155-740	21.1	221.8	159.5	43.5	3.00	21.10	221.8	46.9	55.7	44.4	52.8	40.2	47.7	35.9	42.6	32.5	38.5	29.6	35.2	High	Chrysler
0-280-155-742	15.8	166.1	119.4	43.5	3.00	15.80	166.1	35.1	41.7	33.3	39.5	30.1	35.7	26.9	31.9	24.3	28.9	22.2	26.3	High	M B 4-1.8l, v6-2.4l, v6-2.8l
0-280-155-744	19.0	199.7	143.6	43.5	3.00	19.00	199.7	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	-
0-280-155-746	19.0	199.7	143.6	43.5	3.00	19.00	199.7	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Volvo 5-2.5l, 6-3.0l
0-280-155-748	18.3	192.3	138.3	43.5	3.00	18.30	192.3	40.7	48.3	38.5	45.8	34.9	41.4	31.1	37.0	28.2	33.4	25.7	30.5	High	Saab
0-280-155-749	33.3	350.0	251.7	43.5	3.00	33.30	350.0	74.0	87.9	70.1	83.3	63.4	75.3	56.7	67.3	51.2	60.8	46.7	55.5	High	Saab 4-2.3l Turbo
0-280-155-750	22.45	235.9	169.7	43.5	3.00	22.45	235.9	49.9	59.2	47.3	56.1	42.8	50.8	38.2	45.4	34.5	41.0	31.5	37.4	High	Saab 4-2.0l Turbo
0-280-155-752	28.55	300.1	215.8	-	-	-	-	63.4	75.3	60.1	71.4	54.4	64.6	48.6	57.7	43.9	52.2	40.1	47.6	-	LS6
0-280-155-753	11.8	124.0	89.25	43.5	3.00	11.80	124.0	26.2	31.1	24.8	29.5	22.5	26.7	20.1	23.9	18.2	21.6	16.6	19.7	High	M B 4-1.4, 4-1.6l
0-280-155-755	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ferrari v12-4.7l
0-280-155-756	12.7	133.5	96.06	43.5	3.00	12.70	133.5	28.2	33.5	26.7	31.8	24.2	28.7	21.6	25.7	19.5	23.2	17.8	21.2	High	Ford
0-280-155-757	19.0	199.7	143.6	43.5	3.00	19.00	199.7	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	-
0-280-155-758	19.0	199.7	143.6	43.5	3.00	19.00	199.7	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	M B 6-2.8l, v6-3.6l
0-280-155-759	30.0	315.3	226.8	43.5	3.00	30.00	315.3	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	Volvo 5-2.3l Turbo, 5-2.5l Turbo
0-280-155-761	14.0	147.1	105.8	43.5	3.00	14.00	147.1	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	VW
0-280-155-763	9.1	95.69	68.84	43.5	3.00	9.105	95.69	20.2	24.0	19.2	22.8	17.3	20.6	15.5	18.4	14.0	16.6	12.8	15.2	High	VW
0-280-155-764	9.1	95.69	68.84	43.5	3.00	9.105	95.69	20.2	24.0	19.2	22.8	17.3	20.6	15.5	18.4	14.0	16.6	12.8	15.2	High	Opel

0-280-155-765	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	Hyundai
0-280-155-766	33.3	350.0	251.7	43.5	3.00	33.30	350.0	74.0	87.9	70.1	83.3	63.4	75.3	56.7	67.3	51.2	60.8	46.7	55.5	High	Volvo 5-2.3l, 5-2.3l Turbo
0-280-155-769	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	Alfa Romeo 4-2.0l, Fiat
0-280-155-770	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	Fiat
0-280-155-773	14.0	147.1	105.8	43.5	3.00	14.00	147.1	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	VW
0-280-155-774	26.0	273.3	196.6	43.5	3.00	26.00	273.3	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	High	Ford
0-280-155-777	14.25	149.8	107.7	43.5	3.00	14.25	149.8	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Holden v6-3.8l
0-280-155-780	22.3	234.4	168.6	43.5	3.00	22.30	234.4	49.6	58.8	46.9	55.8	42.5	50.4	38.0	45.1	34.3	40.7	31.3	37.2	High	Chrysler
0-280-155-782	21.3	223.9	161.0	43.5	3.00	21.30	223.9	47.3	56.2	44.8	53.3	40.6	48.2	36.3	43.1	32.8	38.9	29.9	35.5	High	Chrysler
0-280-155-784	21.3	223.9	161.0	43.5	3.00	21.30	223.9	47.3	56.2	44.8	53.3	40.6	48.2	36.3	43.1	32.8	38.9	29.9	35.5	High	Chrysler
0-280-155-785	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Volvo 5-2.3l Turbo, 5-2.5l Turbo
0-280-155-786	9.5	99.89	71.86	43.5	3.00	9.505	99.89	21.1	25.1	20.0	23.8	18.1	21.5	16.2	19.2	14.6	17.4	13.3	15.8	High	Ford
0-280-155-787	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	Range Rover - Land Rover Discovery 4.0l, v8-4.6l
0-280-155-788	31.0	325.8	234.4	43.5	3.00	31.00	325.8	68.9	81.8	65.3	77.5	59.0	70.1	52.8	62.7	47.7	56.6	43.5	51.7	High	BMW 1-0.7l, 4-1.1l, 4-1.2l, Mitsubishi v6-3.0l
0-280-155-789	21.0	220.7	158.8	43.5	3.00	21.00	220.7	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	Chrysler
0-280-155-791	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	VW 4-2.0l
0-280-155-793	9.1	95.69	68.84	43.5	3.00	9.105	95.69	20.2	24.0	19.2	22.8	17.3	20.6	15.5	18.4	14.0	16.6	12.8	15.2	High	Opel

0-280-155-794	12.6	132.4	95.30	43.5	3.00	12.60	132.4	28.0	33.3	26.5	31.5	24.0	28.5	21.4	25.5	19.4	23.0	17.7	21.0	High	Citroen 4-1.6l	
0-280-155-795	11.3	118.8	85.47	43.5	3.00	11.30	118.8	25.1	29.8	23.8	28.3	21.5	25.6	19.2	22.8	17.4	20.6	15.9	18.8	High	Citroen 4-1.4l	
0-280-155-798	26.8	281.7	202.6	43.5	3.00	26.80	281.7	59.6	70.7	56.4	67.0	51.0	60.6	45.6	54.2	41.2	49.0	37.6	44.7	High	Nissan	
0-280-155-800	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	-	
0-280-155-803	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Citroen 4-2.0l, Peugeot 4-2.0l
0-280-155-804	33.3	350.0	251.7	43.5	3.00	33.30	350.0	74.0	87.9	70.1	83.3	63.4	75.3	56.7	67.3	51.2	60.8	46.7	55.5	High	-	
0-280-155-807	14.25	149.8	107.7	43.5	3.00	14.25	149.8	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	KIA	
0-280-155-808	14.0	147.1	105.8	43.5	3.00	14.00	147.1	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	KIA	
0-280-155-809	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	-	
0-280-155-810	14.0	147.1	105.8	43.5	3.00	14.00	147.1	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	Ford	
0-280-155-811	34.3	360.5	259.3	43.5	3.00	34.30	360.5	76.2	90.5	72.2	85.8	65.3	77.6	58.4	69.3	52.8	62.7	48.1	57.2	High	Ford, GM	
0-280-155-812	9.1	95.69	68.84	43.5	3.00	9.105	95.69	20.2	24.0	19.2	22.8	17.3	20.6	15.5	18.4	14.0	16.6	12.8	15.2	High	VW	
0-280-155-814	11.5	120.9	86.98	43.5	3.00	11.50	120.9	25.6	30.3	24.2	28.8	21.9	26.0	19.6	23.2	17.7	21.0	16.1	19.2	High	-	
0-280-155-816	14.0	147.1	105.8	43.5	3.00	14.00	147.1	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	Fiat	
0-280-155-819	16.75	176.0	126.6	43.5	3.00	16.75	176.0	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	Ford 4-1.8l	
0-280-155-820	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	Ford	
0-280-155-821	14.25	149.8	107.7	43.5	3.00	14.25	149.8	31.7	37.6	30.0	35.6	27.1	32.2	24.3	28.8	21.9	26.0	20.0	23.8	High	Ford v8-5.0l	
0-280-155-822	21.0	220.7	158.8	43.5	3.00	21.00	220.7	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	Alfa Romeo 4-2.0l, GM	
0-280-155-823	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	BMW v8-3.5l, v8-4.4l, v8-4.6l	















188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	KIA 4-1.5l
0-280-156-189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	KIA 4-1.8l
0-280-156-190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	KIA v6-2.5l
0-280-156-208	18.25	191.8	138.0	43.5	3.00	18.25	191.8	40.6	48.2	38.4	45.6	34.8	41.3	31.1	36.9	28.1	33.3	25.6	30.4	High	-	
0-280-156-937	19.8	208.1	149.7	43.5	3.00	19.80	208.1	44.0	52.3	41.7	49.5	37.7	44.8	33.7	40.0	30.5	36.2	27.8	33.0	High	-	
0-280-158-085	40.0	420.4	302.4	43.5	3.00	40.00	420.4	88.9	105	84.2	100	76.2	90.5	68.1	80.9	61.5	73.1	56.1	66.7	High	-	
0-280-159-731	9.15	96.21	69.22	43.5	3.00	9.155	96.21	20.3	24.1	19.3	22.9	17.4	20.7	15.6	18.5	14.1	16.7	12.8	15.3	High	-	
0-280-159-732	9.15	96.21	69.22	43.5	3.00	9.155	96.21	20.3	24.1	19.3	22.9	17.4	20.7	15.6	18.5	14.1	16.7	12.8	15.3	High	-	
0-437-502-003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Volvo 4-2.0l
0-437-502-004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Saab 4-2.0l, 4-2.0l Turbo
0-437-502-005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Peugeot 6-2.7l, Volvo v6-2.7l
0-437-502-006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BMW 4-1.8l
0-437-502-007	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BMW 4-2.0l, Volvo 4-2.1l
0-437-502-010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M B 4-2.3l, 6-2.6l, 6-2.7l, 6-3.0l, 6-3.8l, 8-4.5l, 8-5.0l, 8-6.8l
0-437-502-012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Peugeot 4-2.2l, Saab 4-2.0l
0-437-502-013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Peugeot 6-2.7l, Porsche 4-2.0l, Volvo v6-2.7l, v6-2.8l
																						Audi 4-1.6l, 4-1.7l, 5-2.2l, 5-2.2l Turbo,

0-437-502-015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BMW 2.0l, Porsche 4-2.0l, 4-2.0l Turbo, Volvo 4-2.1l, 4- 2.3l, VW 4-1.5l, 4-1.6l, 4-1.7l, 4-1.8l, 5-2.2l
0-437-502-018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Peugeot 4-2.0l
0-437-502-022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Peugeot 6-2.8l, Volvo v6-2.8l
0-437-502-023	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Audi 4-1.8l, 5- 2.2l, VW 4-1.5l, 4-1.6l, 4-1.7l, 4-1.8l, 5-2.2l
0-437-502-043	-	-	-	46.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Audi 4-2.0l, 4- 2.2l, 4-2.2l Turbo, 4-2.3l, Bentley, VW 4- 2.0l
0-437-502-044	-	-	-	46.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Audi 4-1.8l, Bentley
0-437-502-045	-	-	-	36.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Audi 4-2.2l, 4- 2.2l Turbo, Bentley, VW 4- 1.8l, 4-2.2l
0-437-502-046	-	-	-	36.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Bentley
0-437-502-047	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ferrari 8-3.0l, 8-3.2l, v12-4.8l, M B 4-2.3l, 6- 2.6l, 6-2.7l, 6- 3.0l, 6-3.8l, 8- 4.5l, 8-5.0l, 8- 6.8l
1-660-062-060	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Holden 6-3.0l, Nissan 6-2.4l, 6-2.8l, 6-3.0l
1-660-362-001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Nissan 4-2.0l, v6-3.0l

1-660-362-028	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Nissan 4-1.5l
B-280-214-912	175.0	1839	1323	45	3.10	172.0	1808	388	461	368	437	333	395	297	353	269	319	245	291	Low	-
B-280-214-913	175.0	1839	1323	45	3.10	172.0	1808	388	461	368	437	333	395	297	353	269	319	245	291	Low	-
B-280-410-144	41.25	433.5	311.8	43.5	3.00	41.25	433.5	91.7	108	86.8	103	78.6	93.3	70.2	83.4	63.5	75.4	57.9	68.8	-	-
B-280-410-153	57.0	599.1	430.9	36.25	2.50	62.44	656.2	126	150	120	142	108	128	97.0	115	87.7	104	80.0	95.0	-	-
B-280-410-153	76.0	798.8	574.6	72.5	5.00	58.87	618.7	168	200	160	190	144	171	129	153	116	138	106	126	-	-
B-280-410-475	77.35	812.9	584.8	43.5	3.00	77.35	812.9	171	204	162	193	147	175	131	156	119	141	108	128	-	-
B-280-412-911	76.0	798.8	574.6	36.25	2.50	83.25	875.0	168	200	160	190	144	171	129	153	116	138	106	126	-	-
B-280-412-911	106.45	1118	804.7	72.5	5.00	82.46	866.6	236	280	224	266	202	240	181	215	163	194	149	177	-	-
B-280-431-126	24.85	261.2	187.9	43.5	3.00	24.85	261.2	55.2	65.6	52.3	62.1	47.3	56.2	42.3	50.2	38.2	45.4	34.9	41.4	High	-
B-280-431-126	34.55	363.1	261.2	43.5	3.00	34.55	363.1	76.8	91.2	72.7	86.4	65.8	78.1	58.8	69.8	53.2	63.1	48.5	57.6	High	02-14-2007
B-280-431-127	24.85	261.2	187.9	43.5	3.00	24.85	261.2	55.2	65.6	52.3	62.1	47.3	56.2	42.3	50.2	38.2	45.4	34.9	41.4	High	-
B-280-431-127	34.55	363.1	261.2	43.5	3.00	34.55	363.1	76.8	91.2	72.7	86.4	65.8	78.1	58.8	69.8	53.2	63.1	48.5	57.6	High	02-14-2007
B-280-431-128	34.65	364.2	261.9	43.5	3.00	34.65	364.2	77.0	91.4	72.9	86.6	66.0	78.4	59.0	70.0	53.3	63.3	48.6	57.8	High	-
B-280-431-128	48.2	506.6	364.4	43.5	3.00	48.20	506.6	107	127	101	120	91.8	109	82.0	97.4	74.2	88.1	67.6	80.3	High	02-14-2007
B-280-431-129	34.65	364.2	261.9	43.5	3.00	34.65	364.2	77.0	91.4	72.9	86.6	66.0	78.4	59.0	70.0	53.3	63.3	48.6	57.8	High	-
B-280-431-129	48.2	506.6	364.4	43.5	3.00	48.20	506.6	107	127	101	120	91.8	109	82.0	97.4	74.2	88.1	67.6	80.3	High	02-14-2007
B-280-431-130	46.92	493.1	354.7	43.5	3.00	46.92	493.1	104	123	98.8	117	89.4	106	79.9	94.8	72.2	85.7	65.9	78.2	High	-
B-280-431-130	65.23	685.6	493.1	43.5	3.00	65.23	685.6	145	172	137	163	124	147	111	131	100	119	91.6	108	High	02-14-2007

B-280-431-131	46.92	493.1	354.7	43.5	3.00	46.92	493.1	104	123	98.8	117	89.4	106	79.9	94.8	72.2	85.7	65.9	78.2	High	-
B-280-432-115	20.65	217.0	156.1	43.5	3.00	20.65	217.0	45.9	54.5	43.5	51.6	39.3	46.7	35.1	41.7	31.8	37.7	29.0	34.4	High	-
B-280-434-499 /1	62.2	653.7	470.2	43.5	3.00	62.20	653.7	138	164	130	155	118	140	105	125	95.7	113	87.3	103	High	-
B-280-434-499 01	87.04	914.8	658.0	43.5	3.00	87.04	914.8	193	229	183	217	165	196	148	175	133	159	122	145	High	02-14-2007
B-280-434-499 02	87.04	914.8	658.0	43.5	3.00	87.04	914.8	193	229	183	217	165	196	148	175	133	159	122	145	High	02-14-2007
B-280-436-038 /1	47.9	503.4	362.1	43.5	3.00	47.90	503.4	106	126	100	119	91.2	108	81.5	96.8	73.7	87.5	67.2	79.8	High	-
B-280-436-038 01	66.6	700.0	503.5	43.5	3.00	66.60	700.0	148	175	140	166	126	150	113	134	102	121	93.5	111	High	02-14-2007
B-280-436-038 /2	47.9	503.4	362.1	43.5	3.00	47.90	503.4	106	126	100	119	91.2	108	81.5	96.8	73.7	87.5	67.2	79.8	High	-
B-280-436-038 02	66.6	700.0	503.5	43.5	3.00	66.60	700.0	148	175	140	166	126	150	113	134	102	121	93.5	111	High	02-14-2007
B-280-436-038 /3	36.85	387.3	278.6	43.5	3.00	36.85	387.3	81.9	97.2	77.6	92.1	70.2	83.4	62.7	74.5	56.7	67.3	51.7	61.4	High	-
B-280-436-038 /4	36.85	387.3	278.6	43.5	3.00	36.85	387.3	81.9	97.2	77.6	92.1	70.2	83.4	62.7	74.5	56.7	67.3	51.7	61.4	High	-
B-280-436-038 05	51.23	538.4	387.3	43.5	3.00	51.23	538.4	113	135	107	128	97.6	115	87.2	103	78.8	93.6	71.9	85.4	High	02-14-2007
B-280-436-038 06	51.23	538.4	387.3	43.5	3.00	51.23	538.4	113	135	107	128	97.6	115	87.2	103	78.8	93.6	71.9	85.4	High	02-14-2007
R-280-410-144	41.3	434.1	312.2	-	-	-	-	91.8	109	86.9	103	78.7	93.4	70.3	83.5	63.5	75.5	58.0	68.8	-	-
R-280-411-911	80.0	840.8	604.8	43.5	3.00	80.00	840.8	177	211	168	200	152	181	136	161	123	146	112	133	-	-
R-280-412-911	77.2	811.4	583.6	36.25	2.50	84.57	888.8	171	203	162	193	147	174	131	156	118	141	108	128	Low	-
R-280-412-912	141.9	1491	1072	-	-	-	-	315	374	298	354	270	321	241	286	218	259	199	236	Low	-

# Bosch - Ford

COPYRIGHT © 2002-2007 Stan Weiss — World Wide Enterprises

Part Number	Flow			Rating @		Flow @ 43.5 PSI / 3 Bars		.36 BSFC - Est. HP Duty Cycle		.38 BSFC - Est. HP Duty Cycle		.42 BSFC - Est. HP Duty Cycle		.47 BSFC - Est. HP Duty Cycle		.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle		Impedance	Application
	lbs/hr	cc/min	grams/min	PSI	BARS	lbs/hr	cc/min	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%		
D5B	19.0	199.7	143.6	-	-	-	-	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Ford 5.0, 4.6 V8, Mopar 3.9 V6, Jeep 4.0 I6, Jeep 5.2 V8
F78E	19.0	199.7	143.6	-	-	-	-	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Ford 5.0, 4.6 V8, GM 3800 V6, Mopar 3.9 V6, Mopar 5.2, 5.9 V8, Jeep 4.0 I6, Jeep 5.2 V8, BMW I-6
D9B	21.0	220.7	158.8	-	-	-	-	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	Ford 5.0, 4.6, 5.8 V8, GM TPI 305/350, GM L98/LT1 350, Ford Truck 4.2
F5DE	24.0	252.2	181.4	-	-	-	-	53.3	63.3	50.5	60.0	45.7	54.3	40.9	48.5	36.9	43.8	33.7	40.0	High	Ford 5.0, 4.6 V8 7.5l, Taurus 3.0, Mopar 5.2, 5.9 V8, Jeep 4.0 I6, Jeep 5.2 V8, BMW I6, BMW V8, BMW

																					V12
F65E	21.0	220.7	158.8	-	-	-	-	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	Ford 5.0, 4.6, 5.8 V8, GM TPI 305/350, GM L98/LT1 350, Ford Truck 4.2
F6VE	19.0	199.7	143.6	43.5	3.00	19.00	199.7	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Ford 5.0 5.8 4.6 v8
FOTE-D9B	22.0	231.2	166.3	-	-	-	-	48.9	58.1	46.3	55.0	41.9	49.8	37.4	44.5	33.8	40.2	30.9	36.7	High	Range Rover, Vette
FV6E-EV6	19.0	199.7	143.6	-	-	-	-	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	-
XF1E	21.0	220.7	158.8	-	-	-	-	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	Ford V8
XR3E	24.0	252.2	181.4	-	-	-	-	53.3	63.3	50.5	60.0	45.7	54.3	40.9	48.5	36.9	43.8	33.7	40.0	-	Ford DOHC 4.6, 5.4 V8, Mopar 4.7, 5.2, 5.9 V8

## Chrysler - Mopar

COPYRIGHT © 2002-2007 Stan Weiss — World Wide Enterprises

Part Number	Flow			Rating @		Flow @ 43.5 PSI / 3 Bars		.36 BSFC - Est. HP Duty Cycle		.38 BSFC - Est. HP Duty Cycle		.42 BSFC - Est. HP Duty Cycle		.47 BSFC - Est. HP Duty Cycle		.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle		Impedance	Application	
	lbs/hr	cc /min	grams /min	PSI	BARS	lbs/hr	cc /min	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%			
04854181 Blue	22.5	236.5	170.1	49.0	3.38	21.20	222.8	50.0	59.4	47.4	56.3	42.9	50.9	38.3	45.5	34.6	41.1	31.6	37.5	High	6-4.0l Jeep	
33007127 Brown	21.0	220.7	158.8	39.0	2.69	22.18	233.1	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	High	6-4.0l Jeep	
4118661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.3l, 6-3.8l
4275312	27.0	283.8	204.1	55	3.79	24.01	252.4	60.0	71.3	56.8	67.5	51.4	61.1	46.0	54.6	41.5	49.3	37.9	45.0	-	4-2.2l Turbo	
4275985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.2l, v8-5.2l



4612175	24	252.2	181.4	50	3.45	22.39	235.3	53.3	63.3	50.5	60.0	45.7	54.3	40.9	48.5	36.9	43.8	33.7	40.0	Low	6-3.3l, 6-3.8l	
4612176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.3l
4612177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	v6-3.8l, 6-3.9l
4663376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l, v6-3.3l
4669011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
4669471	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
4669772	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
4669938	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.4l
5227386	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l, 4-2.4l
5245344	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10-8.0l
5277098	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
5277470	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v6-3.3l
5277739	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l, 4-2.4l
5277751	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
5277757	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
5277895	34.0	357.3	257.0	55	3.79	30.24	317.8	75.6	89.7	71.6	85.0	64.8	76.9	57.9	68.7	52.3	62.1	47.7	56.7	Low	4-2.2l, 4-2.5l, turbo	
53003956 Dark Tan	21.0	220.7	158.8	39	2.69	22.18	233.1	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	-	6-4.0l Jeep	
53007232	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.5l
53007809	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	v8-5.2l
53030262	24.6	258.5	186.0	39.0	2.69	25.98	273.1	54.7	64.9	51.8	61.5	46.9	55.6	41.9	49.7	37.8	44.9	34.5	41.0	High	v8-5.2l, v8-5.9l	
53030343 Tan	21.0	220.7	158.8	39.0	2.69	22.18	233.1	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	-	6-4.0l Jeep	
53030778 Grey	23.2	243.8	175.4	49.0	3.38	21.86	229.7	51.6	61.2	48.8	58.0	44.2	52.5	39.5	46.9	35.7	42.4	32.6	38.7	-	4-2.5l, 6-4.0l, v8-5.2l, v8-5.9l	
53040003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10-8.0l
53041073	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10-8.0l
MD15143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
MD15661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
MD111420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.5l (Colt/Eagle/Mitsubishi)
MD111421	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.6l(Mitsubishi), 4- 1.8l(Mitsubishi), 4-2.0l (Mitsubishi), 6-3.0l (Mitsubishi)

MD111422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.4l(Mitsubishi Pickup)
MD114131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
MD115076	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l (Eagle/Mitsubishi)
MD116218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
MD116821	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.6l(Mitsubishi), 4-2.0l(Eagle/Mitsubishi)
MD127069	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l (Eagle/Mitsubishi)
MD132249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
MD141131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v6-3.0l
MD141263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.6l (Colt/Eagle/Mitsubishi), 4-1.8l (Colt/Eagle/Mitsubishi), 4-2.0l(Colt/Mitsubishi), 6-3.0l, 6-3.0l Truck
MD151431	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
MD156661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
MD156760	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.8l(Mitsubishi), 4-2.0l(Mitsubishi), 6-3.0l SOHC, 6-3.0l Truck
MD157740	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v6-3.0l, v6-3.3l
MD158484	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v6-3.0l
MD158850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l (Eagle/Mitsubishi)
MD158851	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.4l Truck
MD162524	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.5l(Colt/Eagle), v6-2.5l
MD162525	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l DOHC
MD164888	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l Turbo
MD168410	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v6-3.0l
MD169494	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.4l (Colt/Eagle/Mitsubishi)
MD175075	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.5l (Colt/Eagle/Mitsubishi)



E3EE-9F593AA	14	147.1	105.8	-	-	-	-	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	-	4-1.6l
E3EE-9F593AB	14	147.1	105.8	30	2.07	16.86	177.2	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	-	4-2.3l, v8-5.0l
E3EE-9F593BA	14	147.1	105.8	-	-	-	-	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	Low	4-1.6l
E3VE-	37	388.9	279.7	40	2.76	38.58	405.5	82.2	97.6	77.9	92.5	70.5	83.7	63.0	74.8	56.9	67.6	51.9	61.7	Low	v6-3.8l
E3ZE-9F593AA	30	315.3	226.8	37	2.55	32.53	341.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	Low	4-2.3l Turbo
E3ZE-9F593BA	30	315.3	226.8	37	2.55	32.53	341.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	Low	4-2.3l Turbo
E3ZE-9F593B1A	30	315.3	226.8	37	2.55	32.53	341.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	Low	4-2.3l Turbo
E43E-9F593AC	55.5	583.3	419.6	-	-	-	-	123	146	116	138	105	125	94.5	112	85.4	101	77.9	92.5	Low	-
E4EE-9F593AA	14	147.1	105.8	-	-	-	-	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	Low	4-1.6l
E4EE-A1A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.6l
E4EE-A2A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.6l
E4EE-A3A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.6l
E4EX-9F593A1A	23	241.7	173.9	-	-	-	-	51.1	60.7	48.4	57.5	43.8	52.0	39.1	46.5	35.4	42.0	32.3	38.3	Low	4-1.6l Turbo
E4EX-9F593AA	23.7	249.1	179.2	-	-	-	-	52.7	62.5	49.9	59.3	45.1	53.6	40.3	47.9	36.5	43.3	33.3	39.5	Low	4-1.6l Turbo
E4ZE-	52.4	550.7	396.1	32	2.21	61.09	642.1	116	138	110	131	99.8	118	89.2	105	80.6	95.7	73.5	87.3	Low	v8-5.0l HO
E4ZE-AA	30	315.3	226.8	37	2.55	32.53	341.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	Low	4-2.3l Turbo
E4ZE-A1A	30	315.3	226.8	37	2.55	32.53	341.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	Low	4-2.3l Turbo
E4ZE-A2A	30	315.3	226.8	37	2.55	32.53	341.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	Low	4-2.3l Turbo
E4ZE-A3A	30	315.3	226.8	37	2.55	32.53	341.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	Low	4-2.3l Turbo
E4ZE-B1A	30	315.3	226.8	37	2.55	32.53	341.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	Low	4-2.3l Turbo
E53E-	64	672.6	483.8	-	-	-	-	142	168	134	160	121	144	108	129	98.5	116	89.8	106	High	4-2.3l
E57E-	19	199.7	143.6	33.35	2.30	21.70	228.1	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	v8-5.8l
E59E-9F593AA	14	147.1	105.8	30.45	2.10	16.73	175.9	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	4-2.3l, v8-5.0l Truck
E59E-9F593AB	14	147.1	105.8	30.45	2.10	16.73	175.9	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	4-2.3l, v8-5.0l Truck







F32Z-9F593A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
F32Z-9F593B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-2.5l
F43E-9F593A2C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-2.5l
F47E-9F593A2D	13.7	144.0	103.6	43.5	3.00	13.70	144.0	30.4	36.2	28.8	34.3	26.1	31.0	23.3	27.7	21.1	25.0	19.2	22.8	High	6-3.0l
F4BZ-9F593A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.3l
F4SE-9F593B5A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v6-3.8l SC
F5DZ-9F593-B5V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6-3.0l
F5RZ-9F593C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
F5TE-9F593B5A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v8-4.6l
F55E-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v8-4.6l
F55Y-9F593A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v8-4.6l
F6CE-9F593A5A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
F6CZ-AA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
F6DE-9F593A5A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	v8-3.4l
F6RZ-AC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
F68F-9F593AB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
F68F-9F593AC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
F8CF-9F593ASA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
F8CZ-BB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-2.0l
XL5E-A2A	19.1	200.7	144.4	43.5	3.00	19.10	200.7	42.4	50.4	40.2	47.8	36.4	43.2	32.5	38.6	29.4	34.9	26.8	31.8	High	-
XL5E-B2A	19.1	200.7	144.4	43.5	3.00	19.10	200.7	42.4	50.4	40.2	47.8	36.4	43.2	32.5	38.6	29.4	34.9	26.8	31.8	High	-

FMS-M-9593-A302	24.0	252.2	181.4	-	-	-	-	53.3	63.3	50.5	60.0	45.7	54.3	40.9	48.5	36.9	43.8	33.7	40.0	High	Ford Motor Sport
FMS-M-9593-B302	30.0	315.3	226.8	-	-	-	-	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	Ford Motor Sport
FMS-M-9593-C302	19.0	199.7	143.6	-	-	-	-	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Ford Motor Sport
FMS-M-9593-E302	150.0	1576	1134	-	-	-	-	333	395	315	375	285	339	255	303	230	274	210	250	Low	Ford Motor Sport
FMS-M-9593-F302	42.0	441.4	317.5	-	-	-	-	93.3	110	88.4	105	80.0	95.0	71.5	84.9	64.6	76.7	58.9	70.0	High	Ford Motor Sport
FMS-M-9593-M23	23.0	241.7	173.9	-	-	-	-	51.1	60.7	48.4	57.5	43.8	52.0	39.1	46.5	35.4	42.0	32.3	38.3	High	Ford Motor Sport
FMS-M-9593-M31	30.0	315.3	226.8	-	-	-	-	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	Ford Motor Sport
FMS-M-9593-M39	39.0	409.9	294.8	-	-	-	-	86.7	102	82.1	97.5	74.3	88.2	66.4	78.8	60.0	71.3	54.7	65.0	High	Ford Motor Sport
FMS-M-9593-T46	34.0	357.3	257.0	-	-	-	-	75.6	89.7	71.6	85.0	64.8	76.9	57.9	68.7	52.3	62.1	47.7	56.7	High	Ford Motor Sport

**Holley** COPYRIGHT © 2002-2007 **Stan Weiss** — World Wide Enterprises

Part Number	Flow			Rating @		Flow @ 43.5 PSI / 3 Bars		.36 BSFC - Est. HP Duty Cycle		.38 BSFC - Est. HP Duty Cycle		.42 BSFC - Est. HP Duty Cycle		.47 BSFC - Est. HP Duty Cycle		.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle		Impedance	Application
	lbs/hr	cc/min	grams/min	PSI	BARS	lbs/hr	cc/min	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%		
522-140X	14.0	147.1	105.8	43	2.96	14.08	148.0	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	-
522-190X	19.0	199.7	143.6	43	2.96	19.11	200.8	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	-
522-240X	24.0	252.2	181.4	43	2.96	24.14	253.7	53.3	63.3	50.5	60.0	45.7	54.3	40.9	48.5	36.9	43.8	33.7	40.0	High	-
522-300X	30.0	315.3	226.8	43	2.96	30.17	317.1	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	-
522-360X	36.0	378.4	272.2	43	2.96	36.21	380.6	80.0	95.0	75.8	90.0	68.6	81.4	61.3	72.8	55.4	65.8	50.5	60.0	High	-



06164-P06-A0Z	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.5l, 4-1.6l
06164-P06-A02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4-1.7l, 4-1.8l

**Lucas** COPYRIGHT © 2002-2007 [Stan Weiss](#) — World Wide Enterprises

Part Number	Flow			Rating @		Flow @ 43.5 PSI / 3 Bars		.36 BSFC - Est. HP Duty Cycle		.38 BSFC - Est. HP Duty Cycle		.42 BSFC - Est. HP Duty Cycle		.47 BSFC - Est. HP Duty Cycle		.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle		Drive Circuit	Impedance	Application
	lbs/hr	cc/min	grams /min	PSI	BARS	lbs/hr	cc/min	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	Type		
5107010	51.25	538.6	387.4	45	3.10	50.39	529.6	113	135	107	128	97.6	115	87.2	103	78.8	93.6	71.9	85.4	-	Low	-
5201200	19.5	204.9	147.4	36.25	2.50	21.36	224.5	43.3	51.5	41.1	48.8	37.1	44.1	33.2	39.4	30.0	35.6	27.4	32.5	Saturated	High	-
5201201	19.5	204.9	147.4	43.5	3.00	19.50	204.9	43.3	51.5	41.1	48.8	37.1	44.1	33.2	39.4	30.0	35.6	27.4	32.5	Saturated	High	-
5202001	17.85	187.6	134.9	36.25	2.50	19.55	205.5	39.7	47.1	37.6	44.6	34.0	40.4	30.4	36.1	27.5	32.6	25.1	29.8	Peak & Hold	Low	Porsche 914 1.8l
5202003	17.9	188.1	135.3	36.25	2.50	19.61	206.1	39.8	47.2	37.7	44.8	34.1	40.5	30.5	36.2	27.5	32.7	25.1	29.8	Saturated	High	-
5202004	20.6	216.5	155.7	43.5	3.00	20.60	216.5	45.8	54.4	43.4	51.5	39.2	46.6	35.1	41.6	31.7	37.6	28.9	34.3	Saturated	High	-
5202005	15.7	165.0	118.7	43.5	3.00	15.70	165.0	34.9	41.4	33.1	39.3	29.9	35.5	26.7	31.7	24.2	28.7	22.0	26.2	Saturated	High	-
5203000	21.0	220.7	158.8	43.5	3.00	21.00	220.7	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	Peak & Hold	Low	-
5203002	37.27	391.7	281.8	43.5	3.00	37.27	391.7	82.8	98.4	78.5	93.2	71.0	84.3	63.4	75.3	57.3	68.1	52.3	62.1	-	High	-
5204001	17.85	187.6	134.9	36.25	2.50	19.55	205.5	39.7	47.1	37.6	44.6	34.0	40.4	30.4	36.1	27.5	32.6	25.1	29.8	Peak & Hold	Low	Fiat 2.0l
5205000	26.5	278.5	200.3	43.5	3.00	26.50	278.5	58.9	69.9	55.8	66.3	50.5	59.9	45.1	53.6	40.8	48.4	37.2	44.2	Peak & Hold	Low	-
5205001	37.3	392.0	282.0	43.5	3.00	37.30	392.0	82.9	98.4	78.5	93.3	71.0	84.4	63.5	75.4	57.4	68.1	52.4	62.2	Saturated	High	-
5206001	20.0	210.2	151.2	36.25	2.50	21.91	230.3	44.4	52.8	42.1	50.0	38.1	45.2	34.0	40.4	30.8	36.5	28.1	33.3	Ballasted	Low	-
5206002	17.85	187.6	134.9	36.25	2.50	19.55	205.5	39.7	47.1	37.6	44.6	34.0	40.4	30.4	36.1	27.5	32.6	25.1	29.8	Ballasted	Low	Toyota
5206003	14.0	147.1	105.8	43.5	3.00	14.00	147.1	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	-	High	-
5206004	24.7	259.6	186.7	36.25	2.50	27.06	284.4	54.9	65.2	52.0	61.8	47.0	55.9	42.0	49.9	38.0	45.1	34.7	41.2	Ballasted	Low	300ZX

5206005	19.5	204.9	147.4	36.25	2.50	21.36	224.5	43.3	51.5	41.1	48.8	37.1	44.1	33.2	39.4	30.0	35.6	27.4	32.5	Peak & Hold	Low	-
5207002	17.85	187.6	134.9	36.25	2.50	19.55	205.5	39.7	47.1	37.6	44.6	34.0	40.4	30.4	36.1	27.5	32.6	25.1	29.8	Saturated	High	Chevy v8-5.0l
5207003	15.6	164.0	117.9	43.5	3.00	15.60	164.0	34.7	41.2	32.8	39.0	29.7	35.3	26.6	31.5	24.0	28.5	21.9	26.0	Saturated	High	Buick v6-3.0l
5207005	47.8	502.4	361.4	39.15	2.70	50.39	529.6	106	126	100	119	91.0	108	81.4	96.6	73.5	87.3	67.1	79.7	-	-	-
5207006	30.7	322.7	232.1	39.15	2.70	32.36	340.1	68.2	81.0	64.6	76.8	58.5	69.4	52.3	62.1	47.2	56.1	43.1	51.2	Peak & Hold	Low	Ford 2.3l Turbo
5207007	14.0	147.1	105.8	39.15	2.70	14.76	155.1	31.1	36.9	29.5	35.0	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	Peak & Hold	Low	Ford 1.6l
5207008	35.0	367.9	264.6	39.15	2.70	36.89	387.7	77.8	92.4	73.7	87.5	66.7	79.2	59.6	70.7	53.8	63.9	49.1	58.3	Peak & Hold	Low	Ford 2.3l Turbo
5207009	28.4	298.5	214.7	36.25	2.50	31.11	327.0	63.1	74.9	59.8	71.0	54.1	64.2	48.3	57.4	43.7	51.9	39.9	47.3	Saturated	High	-
5207010	40.2	422.5	303.9	39.15	2.70	42.37	445.4	89.3	106	84.6	100	76.6	90.9	68.4	81.3	61.8	73.4	56.4	67.0	Peak & Hold	Low	-
5207011	20.7	217.6	156.5	43.5	3.00	20.70	217.6	46.0	54.6	43.6	51.8	39.4	46.8	35.2	41.8	31.8	37.8	29.1	34.5	Saturated	High	Chevrolet v8-5.7l
5207013	19.1	200.7	144.4	39.15	2.70	20.13	211.6	42.4	50.4	40.2	47.8	36.4	43.2	32.5	38.6	29.4	34.9	26.8	31.8	Saturated	High	Jeep 6-4.0l
5207600	36.05	378.9	272.5	39.15	2.70	38.00	399.4	80.1	95.1	75.9	90.1	68.7	81.5	61.4	72.9	55.5	65.9	50.6	60.1	Peak & Hold	Low	-
5207601	47.8	502.4	361.4	39.15	2.70	50.39	529.6	106	126	100	119	91.0	108	81.4	96.6	73.5	87.3	67.1	79.7	Peak & Hold	Low	-
5207602	51.35	539.7	388.2	39.15	2.70	54.13	568.9	114	135	108	128	97.8	116	87.4	103	79.0	93.8	72.1	85.6	Peak & Hold	Low	-
5208001	17.85	187.6	134.9	36.25	2.50	19.55	205.5	39.7	47.1	37.6	44.6	34.0	40.4	30.4	36.1	27.5	32.6	25.1	29.8	Peak & Hold	Low	Alfa 2.5l, 3.0l, Fiat 1.5l, Izuzu 2.0l, Nissan 200SX, 280ZX, 300ZX, Porsche 2.0l, Renault 1.6l, 1.7l, Rover 3.5l, Triumph 3.5l, VW

																						1.8l, 2.0l
5208003	17.85	187.6	134.9	36.25	2.50	19.55	205.5	39.7	47.1	37.6	44.6	34.0	40.4	30.4	36.1	27.5	32.6	25.1	29.8	Peak & Hold	Low	Alfa, Triumph 2.0l
5208004	22.55	237.0	170.5	36.25	2.50	24.70	259.6	50.1	59.5	47.5	56.4	43.0	51.0	38.4	45.6	34.7	41.2	31.6	37.6	Peak & Hold	Low	Ford 1.6l
5208005	22.55	237.0	170.5	36.25	2.50	24.70	259.6	50.1	59.5	47.5	56.4	43.0	51.0	38.4	45.6	34.7	41.2	31.6	37.6	Peak & Hold	Low	Chrysler, BMW
5208006	15.6	164.0	117.9	36.25	2.50	17.09	179.6	34.7	41.2	32.8	39.0	29.7	35.3	26.6	31.5	24.0	28.5	21.9	26.0	Saturated	High	Renault
5208007	17.85	187.6	134.9	36.25	2.50	19.55	205.5	39.7	47.1	37.6	44.6	34.0	40.4	30.4	36.1	27.5	32.6	25.1	29.8	Ballasted	Low	BMW 325E
5208008	35.4	372.1	267.6	39.15	2.70	37.31	392.2	78.7	93.4	74.5	88.5	67.4	80.1	60.3	71.6	54.5	64.7	49.7	59.0	Saturated	High	-
5208009	42.29	444.5	319.7	43.5	3.00	42.29	444.5	94.0	111	89.0	105	80.6	95.7	72.0	85.5	65.1	77.3	59.4	70.5	Saturated	High	-
5208010	51.4	540.2	388.6	43.5	3.00	51.40	540.2	114	135	108	128	97.9	116	87.5	103	79.1	93.9	72.1	85.7	Saturated	Low	-
5720A520	17.9	188.1	135.3	43.5	3.00	17.90	188.1	39.8	47.2	37.7	44.8	34.1	40.5	30.5	36.2	27.5	32.7	25.1	29.8	-	-	Chevy v8-5.0l
5720D570	17.9	188.1	135.3	43.5	3.00	17.90	188.1	39.8	47.2	37.7	44.8	34.1	40.5	30.5	36.2	27.5	32.7	25.1	29.8	-	-	Chevy v8-5.0l
5720D780	17.9	188.1	135.3	43.5	3.00	17.90	188.1	39.8	47.2	37.7	44.8	34.1	40.5	30.5	36.2	27.5	32.7	25.1	29.8	-	-	Chevy v8-5.0l
5720D810	17.9	188.1	135.3	43.5	3.00	17.90	188.1	39.8	47.2	37.7	44.8	34.1	40.5	30.5	36.2	27.5	32.7	25.1	29.8	-	-	Vette v8-5.7l
621030	42.0	441.4	317.5	-	-	-	-	93.3	110	88.4	105	80.0	95.0	71.5	84.9	64.6	76.7	58.9	70.0	-	-	-
621031	42.29	444.5	319.7	43.5	3.00	42.29	444.5	94.0	111	89.0	105	80.6	95.7	72.0	85.5	65.1	77.3	59.4	70.5	-	High	-
621037	37.27	391.7	281.8	43.5	3.00	37.27	391.7	82.8	98.4	78.5	93.2	71.0	84.3	63.4	75.3	57.3	68.1	52.3	62.1	-	High	-

**MSD** COPYRIGHT © 2002-2007 [Stan Weiss](#) — World Wide Enterprises

Part Number	Flow			Rating @		Flow @ 43.5 PSI / 3 Bars		.36 BSFC - Est. HP Duty Cycle		.38 BSFC - Est. HP Duty Cycle		.42 BSFC - Est. HP Duty Cycle		.47 BSFC - Est. HP Duty Cycle		.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle		Drive Circuit	Impedance	Application
	lbs/hr	cc/min	grams /min	PSI	BARS	lbs/hr	cc/min	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	Type		
2010	21.0	220.7	158.8	43.5	3.00	21.00	220.7	46.7	55.4	44.2	52.5	40.0	47.5	35.7	42.4	32.3	38.4	29.5	35.0	12v	High	ZR-1

																				Saturated		Corvette
2011	26.0	273.3	196.6	43.5	3.00	26.00	273.3	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	2/0.5A Peak & Hold	Low	GM Quad IV 2.3l DOHC
2012	34.0	357.3	257.0	43.5	3.00	34.00	357.3	75.6	89.7	71.6	85.0	64.8	76.9	57.9	68.7	52.3	62.1	47.7	56.7	2/0.5A Peak & Hold	Low	-
2013	50.0	525.5	378.0	43.5	3.00	50.00	525.5	111	131	105	125	95.2	113	85.1	101	76.9	91.3	70.2	83.3	12v Saturated	High	-
2014	72.0	756.7	544.3	43.5	3.00	72.00	756.7	160	190	151	180	137	162	122	145	110	131	101	120	4/1A Peak & Hold	Low	-
2015	96.0	1009	725.7	43.5	3.00	96.00	1009	213	253	202	240	182	217	163	194	147	175	134	160	4/1A Peak & Hold	Low	-
2016	19.0	199.7	143.6	43.5	3.00	19.00	199.7	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	12v Saturated	High	Ford 8-5.0l, GM 5.0l
2017	22.0	231.2	166.3	43.5	3.00	22.00	231.2	48.9	58.1	46.3	55.0	41.9	49.8	37.4	44.5	33.8	40.2	30.9	36.7	12v Saturated	High	Chevrolet 8-5.7l
2018	38.0	399.4	287.3	43.5	3.00	38.00	399.4	84.4	100	80.0	95.0	72.4	86.0	64.7	76.8	58.5	69.4	53.3	63.3	12v Saturated	High	-
2019	24.0	252.2	181.4	43.5	3.00	24.00	252.2	53.3	63.3	50.5	60.0	45.7	54.3	40.9	48.5	36.9	43.8	33.7	40.0	12v Saturated	High	Early LT-1
2060	20.75	218.1	156.9	43.5	3.00	20.75	218.1	46.1	54.8	43.7	51.9	39.5	46.9	35.3	41.9	31.9	37.9	29.1	34.6	-	High	Honda
2061	25.7	270.1	194.3	43.5	3.00	25.70	270.1	57.1	67.8	54.1	64.3	49.0	58.1	43.7	51.9	39.5	47.0	36.1	42.8	-	Low	Honda
2062	33.7	354.2	254.8	43.5	3.00	33.70	354.2	74.9	88.9	70.9	84.3	64.2	76.2	57.4	68.1	51.8	61.6	47.3	56.2	-	Low	Honda
2063	49.5	520.2	374.2	43.5	3.00	49.50	520.2	110	130	104	123	94.3	112	84.3	100	76.2	90.4	69.5	82.5	-	High	Honda
2064	71.25	748.8	538.6	43.5	3.00	71.25	748.8	158	188	150	178	135	161	121	144	109	130	100	118	-	Low	Honda
2065	95.0	998.5	718.2	43.5	3.00	95.00	998.5	211	250	200	237	181	214	161	192	146	173	133	158	-	Low	Honda
2066	18.85	198.1	142.5	43.5	3.00	18.85	198.1	41.9	49.7	39.7	47.1	35.9	42.6	32.1	38.1	29.0	34.4	26.5	31.4	-	High	Honda
2067	21.7	228.1	164.0	43.5	3.00	21.70	228.1	48.2	57.3	45.7	54.3	41.3	49.1	36.9	43.9	33.4	39.6	30.5	36.2	-	High	Honda
2068	37.6	395.2	284.3	43.5	3.00	37.60	395.2	83.6	99.2	79.2	94.0	71.6	85.0	64.0	76.0	57.8	68.7	52.8	62.7	-	High	Honda
2069	23.8	250.1	179.9	43.5	3.00	23.80	250.1	52.9	62.8	50.1	59.5	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	-	High	Honda

# Nippon Denso

COPYRIGHT © 2002-2007 Stan Weiss — World Wide Enterprises

Part Number	Flow			Rating @		Flow @ 43.5 PSI / 3 Bars		.36 BSFC - Est. HP Duty Cycle		.38 BSFC - Est. HP Duty Cycle		.42 BSFC - Est. HP Duty Cycle		.47 BSFC - Est. HP Duty Cycle		.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle		Impedance	Application	
	lbs/hr	cc/min	grams /min	PSI	BARS	lbs/hr	cc/min	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%	80%	95%			
195500-0900 Orange	64.7	680.0	489.1	-	-	-	-	143	170	136	161	123	146	110	130	99.5	118	90.8	107	Low	84-85 RX-7	
195500-1280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ford 4-2.2l, Mercury 4-1.6l
195500-1320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
195500-1350 Red	43.77	460.0	330.9	-	-	-	-	97.3	115	92.1	109	83.4	99.0	74.5	88.5	67.3	80.0	61.4	73.0	Low	86-87 RX-7	
195500-1350 Purple	43.77	460.0	330.9	-	-	-	-	97.3	115	92.1	109	83.4	99.0	74.5	88.5	67.3	80.0	61.4	73.0	High	88 RX-7 Turbo	
195500-1370 Tan	52.33	550.0	395.6	-	-	-	-	116	138	110	130	99.7	118	89.1	105	80.5	95.6	73.4	87.2	Low	86-87 RX-7	
195500-1370 Purple	52.33	550.0	395.6	-	-	-	-	116	138	110	130	99.7	118	89.1	105	80.5	95.6	73.4	87.2	-	88 RX-7 Turbo	
195500-1650	28.55	300.1	215.8	37.0	2.55	30.96	325.4	63.4	75.3	60.1	71.4	54.4	64.6	48.6	57.7	43.9	52.2	40.1	47.6	-	Ford 4-2.2l Turbo	
195500-1960	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ford 6-3.0l SHO
195500-1970 Navy Blue	19.5	204.9	147.4	37.0	2.55	21.14	222.2	43.3	51.5	41.1	48.8	37.1	44.1	33.2	39.4	30.0	35.6	27.4	32.5	High	Ford 4-2.2l	
195500-2010 Red	43.77	460.0	330.9	-	-	-	-	97.3	115	92.1	109	83.4	99.0	74.5	88.5	67.3	80.0	61.4	73.0	High	89-91 RX-7	
195500-2020 Purple	52.33	550.0	395.6	-	-	-	-	116	138	110	130	99.7	118	89.1	105	80.5	95.6	73.4	87.2	High	89-91 RX-7 Turbo	
195500-2110 Purple	11.4	119.8	86.23	37.0	2.55	12.36	129.9	25.3	30.1	24.0	28.5	21.7	25.8	19.4	23.0	17.5	20.8	16.0	19.0	High	Ford 4-1.3l	
195500-2120	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	-	
195500-2150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ford 4-2.2l Turbo
195500-2310	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	-	
195500-2510	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Colt/Eagle/Mitsubishi 4-2.4l

195500-2660	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Eagle/Mitsubishi 4-2.4l
195500-5130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-2.2l
195500-5160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-2.0l, 4-2.2l
195500-5190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l, 6-4.0l Truck
195500-5220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-1.6l, GEO 4-1.6l
195500-5250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l
195500-5410	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l
195500-5440	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-2.4l
195500-5620	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-1.8l, GEO 4-1.8l
195500-5640	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l
195599-5351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l, 6-4.5l Truck
195599-5630	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l
195599-5570	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-1.6l, GEO 4-1.6l
195599-5580	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-2.2l
195599-5590	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l
195599-5630	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l
35310-24000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Mitsubishi 4-1.5l
35310-24010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Mitsubishi 4-1.5l
Light Green	13.8	145.0	104.3	37.0	2.55	14.96	157.3	30.7	36.4	29.1	34.5	26.3	31.2	23.5	27.9	21.2	25.2	19.4	23.0	Low	Toyota
Green	13.8	145.0	104.3	37.0	2.55	14.96	157.3	30.7	36.4	29.1	34.5	26.3	31.2	23.5	27.9	21.2	25.2	19.4	23.0	Low	Toyota
Dark Blue	13.8	145.0	104.3	-	-	-	-	30.7	36.4	29.1	34.5	26.3	31.2	23.5	27.9	21.2	25.2	19.4	23.0	Low	Ford 4-1.6l
Gray	13.8	145.0	104.3	-	30.0	-	-	30.7	36.4	29.1	34.5	26.3	31.2	23.5	27.9	21.2	25.2	19.4	23.0	High	Ford 4-2.3l
Red / Dark Blue	14.75	155.0	111.5	42.0	2.90	15.01	157.8	32.8	38.9	31.1	36.9	28.1	33.4	25.1	29.8	22.7	26.9	20.7	24.6	High	Toyota
Violet	14.75	155.0	111.5	42.0	2.90	15.01	157.8	32.8	38.9	31.1	36.9	28.1	33.4	25.1	29.8	22.7	26.9	20.7	24.6	High	Toyota
Sky Blue	14.75	155.0	111.5	42.0	2.90	15.01	157.8	32.8	38.9	31.1	36.9	28.1	33.4	25.1	29.8	22.7	26.9	20.7	24.6	High	Toyota
Light Green	16.75	176.0	126.6	42.0	2.90	17.05	179.2	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	Toyota
Grey	16.75	176.0	126.6	42.0	2.90	17.05	179.2	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	Toyota
Dark Grey	17.3	181.8	130.8	37.0	2.55	18.76	197.1	38.4	45.7	36.4	43.3	33.0	39.1	29.4	35.0	26.6	31.6	24.3	28.8	Low	Toyota

Grey	17.3	181.8	130.8	37.0	2.55	18.76	197.1	38.4	45.7	36.4	43.3	33.0	39.1	29.4	35.0	26.6	31.6	24.3	28.8	Low	Toyota
Dark Grey	19.0	199.7	143.6	42.0	2.90	19.34	203.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	Low	Toyota
Beige	19.0	199.7	143.6	42.0	2.90	19.34	203.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	Low	Toyota
Orange	19.0	199.7	143.6	42.0	2.90	19.34	203.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	Low	Toyota
Brown	19.0	199.7	143.6	42.0	2.90	19.34	203.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	Low	Toyota
Pink	19.0	199.7	143.6	42.0	2.90	19.34	203.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	Low	Toyota
Dark Blue	19.0	199.7	143.6	42.0	2.90	19.34	203.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Toyota
Orange / Blue	19.0	199.7	143.6	42.0	2.90	19.34	203.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Toyota
Brown	19.0	199.7	143.6	42.0	2.90	19.34	203.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Toyota
Red	19.0	199.7	143.6	42.0	2.90	19.34	203.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Toyota
Blue	20.0	210.2	151.2	37.0	2.55	21.69	227.9	44.4	52.8	42.1	50.0	38.1	45.2	34.0	40.4	30.8	36.5	28.1	33.3	Low	Toyota
Sky Blue	20.3	213.4	153.5	42.0	2.90	20.66	217.1	45.1	53.6	42.7	50.8	38.7	45.9	34.6	41.0	31.2	37.1	28.5	33.8	High	Toyota
Beige	20.25	212.8	153.1	42.0	2.90	20.61	216.6	45.0	53.4	42.6	50.6	38.6	45.8	34.5	40.9	31.2	37.0	28.4	33.8	High	Toyota
Yellow	20.25	212.8	153.1	42.0	2.90	20.61	216.6	45.0	53.4	42.6	50.6	38.6	45.8	34.5	40.9	31.2	37.0	28.4	33.8	High	Toyota
Yellow / Orange	23.8	250.1	179.9	42.0	2.90	24.22	254.6	52.9	62.8	50.1	59.5	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	Low	Toyota
Green	23.8	250.1	179.9	42.0	2.90	24.22	254.6	52.9	62.8	50.1	59.5	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	High	Toyota
Violet	23.8	250.1	179.9	42.0	2.90	24.22	254.6	52.9	62.8	50.1	59.5	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	High	Toyota
Brown	23.8	250.1	179.9	42.0	2.90	24.22	254.6	52.9	62.8	50.1	59.5	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	High	Toyota
Light Green	26.85	282.2	203.0	42.0	2.90	27.33	287.2	59.7	70.9	56.5	67.1	51.1	60.7	45.7	54.3	41.3	49.1	37.7	44.8	High	Toyota
Violet	26.85	282.2	203.0	42.0	2.90	27.33	287.2	59.7	70.9	56.5	67.1	51.1	60.7	45.7	54.3	41.3	49.1	37.7	44.8	High	Toyota
Yellow	28.05	294.8	212.1	37.0	2.55	30.41	319.7	62.3	74.0	59.1	70.1	53.4	63.4	47.7	56.7	43.2	51.2	39.4	46.8	Low	Toyota
Pink	28.05	294.8	212.1	37.0	2.55	30.41	319.7	62.3	74.0	59.1	70.1	53.4	63.4	47.7	56.7	43.2	51.2	39.4	46.8	Low	Toyota
Green	28.05	294.8	212.1	37.0	2.55	30.41	319.7	62.3	74.0	59.1	70.1	53.4	63.4	47.7	56.7	43.2	51.2	39.4	46.8	High	Toyota
Pink	30.0	315.3	226.8	42.0	2.90	30.53	320.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	Toyota
Light Green	30.0	315.3	226.8	42.0	2.90	30.53	320.9	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	Toyota
Red / Orange	34.75	365.2	262.7	37.0	2.55	37.68	396.0	77.2	91.7	73.2	86.9	66.2	78.6	59.1	70.2	53.5	63.5	48.8	57.9	Low	Toyota
Black	40.9	429.9	309.2	37.0	2.55	44.35	466.1	90.9	107	86.1	102	77.9	92.5	69.6	82.7	62.9	74.7	57.4	68.2	Low	Toyota















10040430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Pontiac 4-2.0l Turbo
10108480	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Pontiac 8-5.0l
10108481	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /vette/Pontiac 8-5.7l
12456154	26.2	275.4	198.1	-	-	-	-	58.2	69.1	55.2	65.5	49.9	59.3	44.6	53.0	40.3	47.9	36.8	43.7	-	LS1
12482704	28.6	300.6	216.2	-	-	-	-	63.6	75.5	60.2	71.5	54.5	64.7	48.7	57.8	44.0	52.3	40.1	47.7	-	LS6
12555894	26	273.3	196.6	-	-	-	-	57.8	68.6	54.7	65.0	49.5	58.8	44.3	52.6	40.0	47.5	36.5	43.3	-	LS1
15637677	32.0	336.3	241.9	45	3.10	31.46	330.7	71.1	84.4	67.4	80.0	61.0	72.4	54.5	64.7	49.2	58.5	44.9	53.3	High	GMC Typhoon v6-4.3l Turbo
17059401	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac Quad 4-2.3l
17069647	21.7	228.1	164.0	43.5	3.00	21.70	228.1	48.2	57.3	45.7	54.3	41.3	49.1	36.9	43.9	33.4	39.6	30.5	36.2	High	Vette v8-5.7l LT5
17069648	21.7	228.1	164.0	43.5	3.00	21.70	228.1	48.2	57.3	45.7	54.3	41.3	49.1	36.9	43.9	33.4	39.6	30.5	36.2	High	Vette v8-5.7l LT5
17069769	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac 6-3.3l
17083509	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy 6-3.4l
17084614	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac Quad 4-2.3l, Chevy 2.3l
17084888	15.4	161.9	116.4	43.5	3.00	15.40	161.9	34.2	40.6	32.4	38.5	29.3	34.8	26.2	31.1	23.7	28.1	21.6	25.7	High	-
17086284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /Olds /Pontiac 6-3.1l, Olds 6-2.8l
17086517	17.6	185.0	133.1	43.5	3.00	17.60	185.0	39.1	46.4	37.1	44.0	33.5	39.8	30.0	35.6	27.1	32.2	24.7	29.3	Low	-
17086542	19.6	206.0	148.2	43.5	3.00	19.60	206.0	43.6	51.7	41.3	49.0	37.3	44.3	33.4	39.6	30.2	35.8	27.5	32.7	High	-
17086544	22.45	235.9	169.7	43.5	3.00	22.45	235.9	49.9	59.2	47.3	56.1	42.8	50.8	38.2	45.4	34.5	41.0	31.5	37.4	High	-
17086594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Pontiac 8-5.7l
17086651	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Pontiac 6-3.1l
17086729	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cadillac 8-4.5l
17087325	20.0	210.2	151.2	50	3.45	18.65	196.1	44.4	52.8	42.1	50.0	38.1	45.2	34.0	40.4	30.8	36.5	28.1	33.3	High	Vette v8-5.7l
17087515	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac Quad 4-2.3l
17087930	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Olds /Pontiac 6-3.4l
17087959	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cadillac v8-4.9l
17087960	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cadillac v8-4.9l
17089116	30.8	323.7	232.8	43.5	3.00	30.80	323.7	68.4	81.3	64.8	77.0	58.7	69.7	52.4	62.3	47.4	56.3	43.2	51.3	Low	-
17089276	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	-
17089569	15.4	161.9	116.4	43.5	3.00	15.40	161.9	34.2	40.6	32.4	38.5	29.3	34.8	26.2	31.1	23.7	28.1	21.6	25.7	High	-
17090571	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /Olds /Pontiac 6-3.8l, Cadillac 8-4.9l
17090844	29.7	312.1	224.5	-	-	-	-	66.0	78.4	62.5	74.3	56.6	67.2	50.6	60.0	45.7	54.3	41.7	49.5	-	v6-3.4l DOHC

17090849	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Olds /Pontiac 6-3.4l
17091189	23.8	250.1	179.9	43.5	3.00	23.80	250.1	52.9	62.8	50.1	59.5	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	Low	-	
17091299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac 4-2.3l
17091300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Olds /Pontiac 4-2.3l
17091432	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /GMC Truck 6-4.3l, 8-5.0l, 8-5.7l, Olds 8-4.3l
17091474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cadillac 8-4.6l, Olds 8-4.0l
17091728	19.2	201.8	145.1	43.5	3.00	19.20	201.8	42.7	50.7	40.4	48.0	36.6	43.4	32.7	38.8	29.5	35.1	26.9	32.0	High	-	
17095004	24.75	260.1	187.1	43.5	3.00	24.75	260.1	55.0	65.3	52.1	61.9	47.1	56.0	42.1	50.0	38.1	45.2	34.7	41.3	High	-	
17100262	16.65	175.0	125.9	43.5	3.00	16.65	175.0	37.0	43.9	35.1	41.6	31.7	37.7	28.3	33.7	25.6	30.4	23.4	27.8	High	-	
17101649	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	-
17102726	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GEO 4-1.6l
17102727	27.8	292.2	210.2	43.5	3.00	27.80	292.2	61.8	73.4	58.5	69.5	53.0	62.9	47.3	56.2	42.8	50.8	39.0	46.3	Low	-	
17102747	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy 6-3.1l, 6-3.3l, Olds 6-3.3l
17103001	19.6	206.0	148.2	43.5	3.00	19.60	206.0	43.6	51.7	41.3	49.0	37.3	44.3	33.4	39.6	30.2	35.8	27.5	32.7	Low	-	
17103007	17.7	186.0	133.8	43.5	3.00	17.70	186.0	39.3	46.7	37.3	44.3	33.7	40.0	30.1	35.8	27.2	32.3	24.8	29.5	High	-	
17103020	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	-
17103146	21.2	222.8	160.3	-	-	-	-	47.1	55.9	44.6	53.0	40.4	48.0	36.1	42.9	32.6	38.7	29.8	35.3	-	-	
17103146	19.4	203.9	146.7	43.5	3.00	19.40	203.9	43.1	51.2	40.8	48.5	37.0	43.9	33.0	39.2	29.8	35.4	27.2	32.3	High	-	
17103509	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Olds /Pontiac 6-3.4l
17103668	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cadillac v8-4.9l
17104256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Pontiac 6-3.4l
17104487	50.0	525.5	378.0	43.5	3.00	50.00	525.5	111	131	105	125	95.2	113	85.1	101	76.9	91.3	70.2	83.3	High	-	
17104959	95.0	998.5	718.2	43.5	3.00	95.00	998.5	211	250	200	237	181	214	161	192	146	173	133	158	Low	-	
17104988	72.0	756.7	544.3	43.5	3.00	72.00	756.7	160	190	151	180	137	162	122	145	110	131	101	120	Low	-	
17105004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac 4-2.3l
17105006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Pontiac 4-2.0l
17105094	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /vette/Pontiac v8-5.7l
17105286	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GEO 4-1.6l
17105384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GEO 4-1.6l. 4-1.8l
17105386	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GEO 4-1.6l
17105516	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac 4-2.3l
17105517	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Olds /Pontiac 4-2.3l



17112979	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Pontiac 6-3.4l
17112982	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cadillac 8-4.9l
17113124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /GMC Truck/Olds /Pontiac 4-2.2l
17113140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cadillac 8-4.6l
17113151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /GMC Truck/Olds 6-4.3l
17113175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Pontiac 6-3.4l
17113197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /GMC Truck/Olds /Pontiac 4-2.2l
17113221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /GMC Truck 8-7.4l
17113317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Olds /Pontiac 6-3.4l
17113384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /GMC Truck/Olds 6-4.3l
17113573	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Olds /Pontiac 6-3.4l
17113738	50.0	525.5	378.0	43.5	3.00	50.00	525.5	111	131	105	125	95.2	113	85.1	101	76.9	91.3	70.2	83.3	High	-	
17113741	55.0	578.1	415.8	43.5	3.00	55.00	578.1	122	145	115	137	104	124	93.6	111	84.6	100	77.2	91.7	Low	-	
17113742	75.0	788.3	567.0	43.5	3.00	75.00	788.3	166	197	157	187	142	169	127	151	115	137	105	125	Low	-	
17113743	85.0	893.4	642.6	43.5	3.00	85.00	893.4	188	224	178	212	161	192	144	171	130	155	119	141	Low	-	
17113744	96.0	1009	725.7	43.5	3.00	96.00	1009	213	253	202	240	182	217	163	194	147	175	134	160	Low	-	
17113812	30.0	315.3	226.8	43.5	3.00	30.00	315.3	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	-	
17113813	42.0	441.4	317.5	43.5	3.00	42.00	441.4	93.3	110	88.4	105	80.0	95.0	71.5	84.9	64.6	76.7	58.9	70.0	High	-	
17113814	65.0	683.2	491.4	43.5	3.00	65.00	683.2	144	171	136	162	123	147	110	131	100	118	91.2	108	Low	-	
17120254	20.85	219.1	157.6	50	3.45	19.45	204.4	46.3	55.0	43.9	52.1	39.7	47.2	35.5	42.1	32.1	38.1	29.3	34.8	High	Vette v8-5.7l	
17120262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy 6-2.8l, Olds /Pontiac 6-3.1l
17120601	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /Olds /Pontiac 6-3.8l
17120683	18.0	189.2	136.1	43.5	3.00	18.00	189.2	40.0	47.5	37.9	45.0	34.3	40.7	30.6	36.4	27.7	32.9	25.3	30.0	High	-	
17121068	20.85	219.1	157.6	50	3.45	19.45	204.4	46.3	55.0	43.9	52.1	39.7	47.2	35.5	42.1	32.1	38.1	29.3	34.8	High	Vette v8-5.7l	
17121296	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /Olds /Pontiac 6-3.8l, Cadillac 8-4.9l
17121552	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cadillac 8-4.6l, Olds 8-4.0l
17121705	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Olds /Pontiac 6-3.4l
17121882	29.7	312.1	224.5	-	-	-	-	66.0	78.4	62.5	74.3	56.6	67.2	50.6	60.0	45.7	54.3	41.7	49.5	-	-	v6-3.4l DOHC
17121909	26.6	279.6	201.1	50	3.45	24.81	260.8	59.1	70.2	56.0	66.5	50.7	60.2	45.3	53.8	40.9	48.6	37.3	44.3	High	-	Vette v8-5.7l LT4
17121947	20.0	210.2	151.2	50	3.45	18.65	196.1	44.4	52.8	42.1	50.0	38.1	45.2	34.0	40.4	30.8	36.5	28.1	33.3	High	-	Buick/Cadillac/Chevy /vette/Pontiac v8-5.7l

17121948	20.0	210.2	151.2	50	3.45	18.65	196.1	44.4	52.8	42.1	50.0	38.1	45.2	34.0	40.4	30.8	36.5	28.1	33.3	High	Cadillac v8-5.7l	
17121966	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Olds /Pontiac 6-3.4l
17122509	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Chevy /Pontiac 6-3.1l
17122264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /Olds /Pontiac 4-2.4l
17122683	24.0	252.2	181.4	43.5	3.00	24.00	252.2	53.3	63.3	50.5	60.0	45.7	54.3	40.9	48.5	36.9	43.8	33.7	40.0	High	-	
17123907	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GM Truck v6-4.3l
17123919	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
17124068	25.1	263.8	189.8	43.5	3.00	25.10	263.8	55.8	66.2	52.8	62.8	47.8	56.8	42.7	50.7	38.6	45.9	35.2	41.8	High	-	
17124187	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	-
17124248	23.9	251.2	180.7	43.5	3.00	23.90	251.2	53.1	63.1	50.3	59.8	45.5	54.1	40.7	48.3	36.8	43.7	33.5	39.8	High	Buick/Chevy /vette/Pontiac v8-5.7l LT1	
17124251	26.6	279.6	201.1	43.5	3.00	26.60	279.6	59.1	70.2	56.0	66.5	50.7	60.2	45.3	53.8	40.9	48.6	37.3	44.3	High	Vette v8-5.7l LT4	
17124289	26.6	279.6	201.1	50	3.45	24.81	260.8	59.1	70.2	56.0	66.5	50.7	60.2	45.3	53.8	40.9	48.6	37.3	44.3	High	Vette v8-5.7l LT4	
17124782	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Low	-
17125053	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	-
17191728	19.5	204.9	147.4	43.5	3.00	19.50	204.9	43.3	51.5	41.1	48.8	37.1	44.1	33.2	39.4	30.0	35.6	27.4	32.5	High	-	
23424745	78.0	819.8	589.7	43.5	3.00	78.00	819.8	173	205	164	195	148	176	132	157	120	142	109	130	Low	-	
24500225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /Olds /Pontiac 6-3.8l
24500369	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac 6-3.8l
24501509	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /Olds /Pontiac 6-3.8l
24503226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Chevy /Olds /Pontiac 6-3.8l
24503406	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac 6-3.8l
24507459	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac 6-3.8l
24508208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Buick/Olds /Pontiac 6-3.8l
25176913	13.8	145.0	104.3	43.5	3.00	13.80	145.0	30.7	36.4	29.1	34.5	26.3	31.2	23.5	27.9	21.2	25.2	19.4	23.0	High	-	
25180245	23.8	250.1	179.9	43.5	3.00	23.80	250.1	52.9	62.8	50.1	59.5	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	High	-	
25317628	22.1	232.3	167.1	43.5	3.00	22.10	232.3	49.1	58.3	46.5	55.3	42.1	50.0	37.6	44.7	34.0	40.4	31.0	36.8	High	8-6.0l	
25324367	65.0	683.2	491.4	43.5	3.00	65.00	683.2	144	171	136	162	123	147	110	131	100	118	91.2	108	Low	-	
25324343	42.0	441.4	317.5	43.5	3.00	42.00	441.4	93.3	110	88.4	105	80.0	95.0	71.5	84.9	64.6	76.7	58.9	70.0	High	-	
25324344	55.0	578.1	415.8	43.5	3.00	55.00	578.1	122	145	115	137	104	124	93.6	111	84.6	100	77.2	91.7	Low	-	
25324366	30.0	315.3	226.8	43.5	3.00	30.00	315.3	66.7	79.2	63.2	75.0	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	-	
25324743	42.0	441.4	317.5	43.5	3.00	42.00	441.4	93.3	110	88.4	105	80.0	95.0	71.5	84.9	64.6	76.7	58.9	70.0	High	-	
25324746	85.0	893.4	642.6	43.5	3.00	85.00	893.4	188	224	178	212	161	192	144	171	130	155	119	141	Low	-	







																					4-1.6l	
23250-16120	16.75	176.0	126.6	41.2	2.84	17.21	180.9	37.2	44.2	35.3	41.9	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	High	Toyota 4-1.6l, GEO 4-1.6l	
23250-16150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-1.6l, GEO 4-1.6l
23250-16160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-1.8l, GEO 4-1.8l
23250-20010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l
23250-22040	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	Toyota 1.8l
23250-35010	23.75	249.6	179.5	36.25	2.50	26.02	273.4	52.8	62.7	50.0	59.4	45.2	53.7	40.4	48.0	36.5	43.4	33.3	39.6	Low	-	
23250-35020	27.0	283.8	204.1	36.25	2.50	29.58	310.9	60.0	71.3	56.8	67.5	51.4	61.1	46.0	54.6	41.5	49.3	37.9	45.0	Low	-	
23250-35040	19.0	199.7	143.6	41.2	2.84	19.52	205.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	-	
23250-41011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-2.6l
23250-42010	40.85	429.3	308.8	36.25	2.50	44.75	470.3	90.8	107	86.0	102	77.8	92.4	69.5	82.6	62.8	74.6	57.3	68.1	Low	-	
23250-45011	16.9	177.6	127.8	36.25	2.50	18.51	194.6	37.6	44.6	35.6	42.3	32.2	38.2	28.8	34.2	26.0	30.9	23.7	28.2	Low	Toyota 4-2.0l, 6-2.8l	
23250-46030	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Lexus 6-3.0l, Toyota 6-3.0l
23250-46050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l
23250-49035	50.4	529.7	381.0	36.25	2.50	55.21	580.3	112	133	106	126	96.0	114	85.8	101	77.5	92.1	70.7	84.0	High	Toyota 6-3.0l	
23250-50010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Lexus 8-4.0l
23250-61010	20.5	215.5	155.0	41.2	2.84	21.06	221.4	45.6	54.1	43.2	51.3	39.0	46.4	34.9	41.4	31.5	37.5	28.8	34.2	High	-	
23250-62010	20.5	215.5	155.0	41.2	2.84	21.06	221.4	45.6	54.1	43.2	51.3	39.0	46.4	34.9	41.4	31.5	37.5	28.8	34.2	High	-	
23250-62020	19.0	199.7	143.6	41.2	2.84	19.52	205.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	-	
23250-62030	19.0	199.7	143.6	41.2	2.84	19.52	205.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Lexus 6-3.0l, Toyota 6-3.0l	
23250-70080	29.95	314.8	226.4	41.2	2.84	30.77	323.4	66.6	79.0	63.1	74.9	57.0	67.7	51.0	60.5	46.1	54.7	42.0	49.9	High	-	

23250-70040	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 6-3.0l
23250-73010	19.0	199.7	143.6	41.2	2.84	19.52	205.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	Low	Toyota 4-2.2l
23250-74030	19.0	199.7	143.6	41.2	2.84	19.52	205.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	Low	-
23250-74040	27.55	289.6	208.3	36.25	2.50	30.18	317.2	61.2	72.7	58.0	68.9	52.5	62.3	46.9	55.7	42.4	50.3	38.7	45.9	Low	Toyota 4-2.2l
23250-74050	23.75	249.6	179.5	36.25	2.50	26.02	273.4	52.8	62.7	50.0	59.4	45.2	53.7	40.4	48.0	36.5	43.4	33.3	39.6	High	Toyota 4-2.0l
23250-74060	19.0	199.7	143.6	41.2	2.84	19.52	205.2	42.2	50.1	40.0	47.5	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	-
23250-74090	41.85	439.8	316.4	36.25	2.50	45.84	481.8	93.0	110	88.1	104	79.7	94.7	71.2	84.6	64.4	76.5	58.7	69.8	Low	-
23250-74100	-	-	-	43.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	High	Toyota 2.0l, 4-2.2l
23250-76010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Toyota 4-2.4l
23250-79015	40.85	429.3	308.8	36.25	2.50	44.75	470.3	90.8	107	86.0	102	77.8	92.4	69.5	82.6	62.8	74.6	57.3	68.1	Low	Toyota 4-2.0l
23250-79045	27	283.8	204.1	41.2	2.84	27.74	291.6	60.0	71.3	56.8	67.5	51.4	61.1	46.0	54.6	41.5	49.3	37.9	45.0	High	-

## Peak Horse Power per Injector

Flow Rate in lbs/hr - cc/min	BSFC - 80% Duty Cycle (Street)								BSFC - 95% Duty Cycle (Race)							
	.32	.37	.42	.47	.52	.57	.62	.67	.32	.37	.42	.47	.52	.57	.62	.67
2 / 21.07	5.05	4.37	3.85	3.45	3.12	2.85	2.63	2.43	5.98	5.18	4.57	4.09	3.70	3.38	3.11	2.88
4 / 42.09	10.0	8.69	7.66	6.85	6.20	5.66	5.21	4.82	11.9	10.3	9.09	8.13	7.35	6.71	6.17	5.72
6 / 63.11	15.0	13.0	11.4	10.2	9.28	8.47	7.79	7.21	17.8	15.4	13.6	12.1	11.0	10.0	9.24	8.55
8 / 84.13	20.0	17.3	15.2	13.6	12.3	11.2	10.3	9.60	23.8	20.5	18.1	16.2	14.6	13.3	12.3	11.3
10 / 105.1	25.0	21.6	19.0	17.0	15.4	14.0	12.9	11.9	29.7	25.7	22.6	20.2	18.3	16.7	15.3	14.2
12 / 126.1	30.0	25.9	22.9	20.4	18.5	16.8	15.5	14.3	35.6	30.8	27.1	24.3	21.9	20.0	18.4	17.0
14 / 147.1	35.0	30.3	26.7	23.8	21.5	19.6	18.1	16.7	41.6	35.9	31.7	28.3	25.6	23.3	21.5	19.9
16 / 168.2	40.0	34.6	30.5	27.2	24.6	22.5	20.6	19.1	47.5	41.1	36.2	32.3	29.2	26.7	24.5	22.7
18 / 189.2	45.0	38.9	34.3	30.6	27.7	25.3	23.2	21.5	53.4	46.2	40.7	36.4	32.9	30.0	27.6	25.5
20 / 210.2	50.0	43.2	38.1	34.0	30.8	28.1	25.8	23.9	59.4	51.4	45.2	40.4	36.5	33.3	30.6	28.4
22 / 231.2	55.0	47.6	41.9	37.4	33.8	30.9	28.4	26.3	65.3	56.5	49.8	44.5	40.2	36.7	33.7	31.2
24 / 252.2	60.0	51.9	45.7	40.9	36.9	33.7	31.0	28.7	71.3	61.6	54.3	48.5	43.8	40.0	36.8	34.0
26 / 273.3	65.0	56.2	49.5	44.3	40.0	36.5	33.5	31.0	77.2	66.8	58.8	52.6	47.5	43.3	39.8	36.9

28 / 294.3	70.0	60.5	53.3	47.7	43.1	39.3	36.1	33.4	83.1	71.9	63.3	56.6	51.2	46.7	42.9	39.7
30 / 315.3	75.0	64.9	57.1	51.1	46.2	42.1	38.7	35.8	89.1	77.0	67.9	60.6	54.8	50.0	46.0	42.5
32 / 336.3	80.0	69.2	61.0	54.5	49.2	44.9	41.3	38.2	95.0	82.2	72.4	64.7	58.5	53.3	49.0	45.4
34 / 357.3	85.0	73.5	64.8	57.9	52.3	47.7	43.9	40.6	101	87.3	76.9	68.7	62.1	56.7	52.1	48.2
36 / 378.4	90.0	77.8	68.6	61.3	55.4	50.5	46.5	43.0	107	92.4	81.4	72.8	65.8	60.0	55.2	51.0
38 / 399.4	95.0	82.2	72.4	64.7	58.5	53.3	49.0	45.4	113	97.6	86.0	76.8	69.4	63.3	58.2	53.9
40 / 420.4	100	86.5	76.2	68.1	61.5	56.1	51.6	47.8	119	103	90.5	80.9	73.1	66.7	61.3	56.7
42 / 441.4	105	90.8	80.0	71.5	64.6	58.9	54.2	50.1	125	108	95.0	84.9	76.7	70.0	64.4	59.6
44 / 462.4	110	95.1	83.8	74.9	67.7	61.8	56.8	52.5	131	113	100	88.9	80.4	73.3	67.4	62.4
46 / 483.5	115	99.5	87.6	78.3	70.8	64.6	59.4	54.9	137	118	104	93.0	84.0	76.7	70.5	65.2
48 / 504.5	120	104	91.4	81.7	73.8	67.4	61.9	57.3	143	123	109	97.0	87.7	80.0	73.5	68.1
50 / 525.5	125	108	95.2	85.1	76.9	70.2	64.5	59.7	148	128	113	101	91.3	83.3	76.6	70.9
52 / 546.5	130	112	99.0	88.5	80.0	73.0	67.1	62.1	154	134	118	105	95.0	86.7	79.7	73.7
54 / 567.5	135	117	103	91.9	83.1	75.8	69.7	64.5	160	139	122	109	98.7	90.0	82.7	76.6
56 / 588.6	140	121	107	95.3	86.2	78.6	72.3	66.9	166	144	127	113	102	93.3	85.8	79.4
58 / 609.6	145	125	110	98.7	89.2	81.4	74.8	69.3	172	149	131	117	106	96.7	88.9	82.2
60 / 630.6	150	130	114	102	92.3	84.2	77.4	71.6	178	154	136	121	110	100	91.9	85.1
62 / 651.6	155	134	118	106	95.4	87.0	80.0	74.0	184	159	140	125	113	103	95.0	87.9
64 / 672.6	160	138	122	109	98.5	89.8	82.6	76.4	190	164	145	129	117	107	98.1	90.7
66 / 693.7	165	143	126	112	102	92.6	85.2	78.8	196	169	149	133	121	110	101	93.6
68 / 714.7	170	147	130	116	105	95.4	87.7	81.2	202	175	154	137	124	113	104	96.4
70 / 735.7	175	151	133	119	108	98.2	90.3	83.6	208	180	158	141	128	117	107	99.3
72 / 756.7	180	156	137	123	111	101	92.9	86.0	214	185	163	146	132	120	110	102
74 / 777.7	185	160	141	126	114	104	95.5	88.4	220	190	167	150	135	123	113	105
76 / 798.8	190	164	145	129	117	107	98.1	90.7	226	195	172	154	139	127	116	108
78 / 819.8	195	169	149	133	120	109	101	93.1	232	200	176	158	143	130	120	111
80 / 840.8	200	173	152	136	123	112	103	95.5	238	205	181	162	146	133	123	113
82 / 861.8	205	177	156	140	126	115	106	97.9	243	211	185	166	150	137	126	116
84 / 882.8	210	182	160	143	129	118	108	100	249	216	190	170	153	140	129	119
86 / 903.9	215	186	164	146	132	121	111	103	255	221	195	174	157	143	132	122
88 / 924.9	220	190	168	150	135	124	114	105	261	226	199	178	161	147	135	125
90 / 945.9	225	195	171	153	138	126	116	107	267	231	204	182	164	150	138	128
92 / 966.9	230	199	175	157	142	129	119	110	273	236	208	186	168	153	141	130
94 / 987.9	235	203	179	160	145	132	121	112	279	241	213	190	172	157	144	133
96 / 1009	240	208	183	163	148	135	124	115	285	246	217	194	175	160	147	136
98 / 1030	245	212	187	167	151	138	126	117	291	252	222	198	179	163	150	139
100 / 1051	250	216	190	170	154	140	129	119	297	257	226	202	183	167	153	142
102 / 1072	255	221	194	174	157	143	132	122	303	262	231	206	186	170	156	145
104 / 1093	260	225	198	177	160	146	134	124	309	267	235	210	190	173	159	147
106 / 1114	265	229	202	180	163	149	137	127	315	272	240	214	194	177	162	150

108 / 1135	270	234	206	184	166	152	139	129	321	277	244	218	197	180	165	153
110 / 1156	275	238	210	187	169	154	142	131	327	282	249	222	201	183	169	156
112 / 1177	280	242	213	191	172	157	145	134	333	288	253	226	205	187	172	159
114 / 1198	285	246	217	194	175	160	147	136	338	293	258	230	208	190	175	162
116 / 1219	290	251	221	197	178	163	150	139	344	298	262	234	212	193	178	164
118 / 1240	295	255	225	201	182	166	152	141	350	303	267	239	216	197	181	167
120 / 1261	300	259	229	204	185	168	155	143	356	308	271	243	219	200	184	170
-	.32	.37	.42	.47	.52	.57	.62	.67	.32	.37	.42	.47	.52	.57	.62	.67